

INDUSTRIAL COMPONENT DATA

PSR-M-GW-CAN-PI 1105105 PHOENIX CONTACT Link gateway for connection of a basic PSR-M module to a higher cont..

Brand: PHOENIX CONTACT | Manufacturer Part Number: PSR-M-GW-CAN-PI



Manufacturer	PHOENIX CONTACT
MPN / Reference	PSR-M-GW-CAN-PI
Catalog number	1105105
Category	Fieldbus, decentr. periphery - communication module
Minimum order	1 Pcs
Document ID	EO-2DC0A7476E
Generated	2026-08-02

Product Overview

Link gateway for connection of a basic PSR-M module to a higher control system, CANopen, TBUS interface, plug-in push-in terminal, TBUS connector included

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Safety

Additional Product Information

ETIM for 1105105 PLC's (EC001604)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Supporting protocol for EtherCAT (EF017564)

No

Supporting protocol for EtherNet/IP (EF007521)

No

Radio standard Bluetooth (EF007178)

No
Radio standard WLAN 802.11 (EF007179)
No
Radio standard GPRS (EF008523)
No
IO link master (EF007298)
No
System accessory (EF004118)
Yes
Degree of protection (IP) (EF005474)
IP20
With potential separation (EF003272)
No
Fieldbus connection over separate bus coupler possible (EF004002)
Yes
Suitable for rail mounting (EF003972)
Yes
Wall mounting/direct mounting (EF007020)
No
Front built-in possible (EF007016)
No
Rack-assembly possible (EF007018)
No
Suitable for safety functions (EF001597)
No
Performance level according to EN ISO 13849-1 (EF007399)
None
Appendant operation agent (Ex ia) (EF004141)
No
Appendant operation agent (Ex ib) (EF004142)
No
Explosion safety category for gas (EF003997)
None
Explosion safety category for dust (EF003998)
None
Width (EF000008)
22.6 mm
Height (EF000040)
107.735742 mm
Depth (EF000049)
115.95 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / PSR-M-GW-CAN-PI with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.