

INDUSTRIAL COMPONENT DATA

PSR-SPP- 24DC/MMS/1X1/THY-V2 2981923 PHOENIX CONTACT Detector of escalators from two channels up to SIL3 (ac..

Brand: PHOENIX CONTACT | Manufacturer Part Number: PSR-SPP-24DC/MMS/1X1/THY-V2



Manufacturer	PHOENIX CONTACT
MPN / Reference	PSR-SPP-24DC/MMS/1X1/THY-V2
Catalog number	2981923
Category	Device for monitoring of safety-related circuits
Minimum order	1 Pcs
Document ID	EO-D8149A843D
Generated	2026-08-06

Product Overview

Detector of escalators from two channels up to SIL3 (according to IEC 61508/en 62061) and cat.4/PL e according to en ISO 13849-1, exclusively for the supervision of lower speed and higher with disconnection of escalators manufacturer Thyssen Krupp, suitable for the connection of two initiators, stop category 0, 1 no contact, connection terminal, spring, plug, width: 45 mm

Two-channel escalator detector up to SIL 2 (according to IEC 61508/EN 62061) and category 3/PL d according to EN ISO 13849-1, exclusively for the monitoring of lower and upper speed with disconnection of escalators from the manufacturer Thyssen Krupp, suitable for the connection of 6 initiators, stop category 0, 1 NA contact, Width: 45 mm, plug-in push-in terminal block

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Safety

Additional Product Information

Key Commercial Data

Orderkey 2981923

Packing unit 1 pc

GTIN 4046356305327

Weight per Piece (excluding packing) 287.600 g

Custom tariff number 85364900

Country of origin DE (Germany)
ETIM for 2981923 Relays (EC001449)
Feature Name
Feature Value
Model (EF000010)
Basic device
Suitable for rail mounting (EF003972)
Yes
With detachable clamps (EF003340)
Yes
Type of electric connection (EF003961)
Spring clamp connection
Suitable for monitoring of emergency-stop circuits (EF007268)
No
Suitable for monitoring of valves (EF007272)
No
Suitable for monitoring of optoelectronic protection equipment (EF007269)
No
Suitable for monitoring of tactile sensors (EF007271)
No
Suitable for monitoring of magnetic switches (EF007266)
No
Suitable for monitoring of proximity switches (EF007267)
No
Evaluation inputs (EF008245)
Other
With start input (EF003342)
No
With muting function (EF004057)
No
With feedback circuit (EF003343)
No
Number of outputs, safety related, undelayed, with contact (EF003344)
0
Number of outputs, safety related, delayed, with contact (EF003345)
0
Number of outputs, safety related, undelayed, semiconductors (EF003346)
0
Number of outputs, safety related, delayed, semiconductors (EF003347)
0
Number of outputs, signalling function, undelayed, with contact (EF003348)
0
Number of outputs, signalling function, delayed, with contact (EF003349)
0
Number of outputs, signalling function, undelayed, semiconductors (EF003350)
0
Number of outputs, signalling function, delayed, semiconduct...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / PSR-SPP-24DC/MMS/1X1/THY-V2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.