

INDUSTRIAL COMPONENT DATA

PTIO 1,5/S/5-PE/U-BK/O-WH-LED 24 GN 1164784 PHOENIX CONTACT Actuator/proximity sensor terminal block, nomina..

Brand: PHOENIX CONTACT | Manufacturer Part Number: 1164784



Manufacturer	PHOENIX CONTACT
MPN / Reference	1164784
Catalog number	PTIO 1,5/S/5-PE/U-BK/O-WH-LED 24 GN
Category	Sensor/actuator terminal block
Minimum order	50 Pcs
Document ID	EO-8FEAE3896E
Generated	2026-08-05

Product Overview

Actuator/proximity sensor terminal block, nominal voltage: 250 V, nominal current: 13.5 A, number of connections: 7, connection type: Push-in connection, Dimensioning cross-section: 1.5 mm², cross-section: 0.14 mm² - 1.5 mm², installation type: NS 35/7.5, NS 35/15, colour: green

Detector/actuator terminal, rated voltage: 250 V, rated current: 13.5 A, connection type: Push-in connection, number of connections: 7, section: 0.14 mm² - 1.5 mm², AWG: 26 - 14, width: 3.5 mm, height: 44.6 mm, colour: green, mounting class: NS 35/7.5, NS 35/15

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Modular TBs

Additional Product Information

ETIM for 1164784 Terminal blocks (EC000900)

Feature Name

Feature Value

Connectable conductor cross section fine-strand without cable end sleeve (EF007341)

0.14 mm²

Connectable conductor cross section fine-strand with cable end sleeve (EF007339)

0.14 mm²

Connectable conductor cross section solid-core (EF007337)

0.14 mm²

Rated current I_n (EF008250)

13.5 A
Rated voltage (EF000228)
250 V
Number of levels (EF002659)
5
Number of clamp positions per level (EF002660)
2
Internally connected stages (EF002661)
No
Type of electrical connection 1 (EF002526)
Other
Type of electrical connection 2 (EF002527)
Other
Mounting method (EF000003)
Other
Cross connectable (EF005717)
Yes
Material insulation body (EF007543)
Other
Inflammability class of insulation material according to UL94 (EF002521)
V0
Width (EF000008)
3.5 mm
Height (EF000040)
121.65 mm
Depth (EF000049)
44.6 mm
Colour (EF000007)
Green
With PE connection (EF002534)
No
With shield connection (EF002535)
No
With power supply function (EF002536)
No
Disconnect function (EF006183)
No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / 1164784 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.