

INDUSTRIAL COMPONENT DATA

QUICK WIREFOX 16 NEUTRAL 1206214 PHOENIX CONTACT

Wire stripper, for conductors and cables of 6 mm to 16 mm d..

Brand: PHOENIX CONTACT | Manufacturer Part Number: QUICK WIREFOX 16 NEUTRAL



Manufacturer	PHOENIX CONTACT
MPN / Reference	QUICK WIREFOX 16 NEUTRAL
Catalog number	1206214
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-E27690FB1F
Generated	2026-08-05

Product Overview

Wire stripper, for conductors and cables of 6 mm to 16 mm diameter

Stripping tool, for conductors and cables of 6.0 to 16.0 mm diameter

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Technical dataNotesEnvironmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product propertiesProduct type Stripping tool

Connection dataConductor connection

Cross section range, metric 6 mm² ... 16 mm² (Stripping range)

16 mm² (Cutting zone)

DimensionsLength 180 mm

Material specificationsColor black

Cable/lineExternal cable diameter 2.9 mm ... 4.2 mm

ETIM for 1206214 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

180 mm
Strip range cross-section (EF007568)
6 mm²
Strip range diameter (EF007567)
2.9 mm
Strip length adjustable (EF006222)
No
Depth of notch adjustable (EF005931)
No
Self-adjusting (EF022889)
Yes
Jaw length (EF005953)
16 mm
Head width (EF006645)
14 mm
Head height (EF025409)
68 mm
Longitudinal section (EF001805)
No
Round edge (EF001806)
No
Spiral cut (EF005299)
No
With wire cutter (EF000163)
No
Insulated (EF000019)
Yes
Isolation protection 1000 V (EF001463)
No
Handle cover (EF013792)
Plastic grips
Grip design (EF007841)
1-component
Surface protection (EF000139)
Untreated
Surface treatment (EF025109)
Untreated
ESD tested (EF009014)
No
With impact protection (EF007939)
No
Weight (EF000167)
125 g
VDE tested (EFDE0001)
No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / QUICK WIREFOX 16 NEUTRAL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.