

INDUSTRIAL COMPONENT DATA

QUICK WIREFOX 6 NEUTRAL 1204588 PHOENIX CONTACT

Stripping pliers

Brand: PHOENIX CONTACT | Manufacturer Part Number: QUICK WIREFOX 6 NEUTRAL



Manufacturer	PHOENIX CONTACT
MPN / Reference	QUICK WIREFOX 6 NEUTRAL
Catalog number	1204588
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-32D087A205
Generated	2026-08-05

Product Overview

Stripping pliers

De-insulating pliers, for PVC-insulated cables, de-insulating range: 0.08 to 6 mm², cable cutters up to 6 mm² for flexible cable or 4 mm² for rigid cable

Wire stripping pliers for PVC-insulated lines, stripping range: 0.08 to 6 mm², cable cutters up to 6 mm² flexible and 4 mm² rigid

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1204588

Packing unit 1 pc

GTIN 4017918256029

Weight per Piece (excluding packing) 224.000 g

Custom tariff number 82032000

Country of origin GB (United Kingdom)

Dimensions

Length (b) 205 mm

Cable diameter 0.5 mm ... 2.9 mm

Stripping length 18 mm

GeneralNote Wire cutters up to 6 mm²

Wire cutters up to AWG 10

Color black

Min. AWG, flexible, multi-strand 10

AWG max., flexible, multi-strand 30

Weight 0.2 kg

Min. cross section 0.08 mm²Max. cross section 6 mm²**Environmental Product Compliance**

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.121040300eCl@ss 6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC001186ETIM 5.0EC002109ETIM 6.0EC002109

UNSPSC 6.0130211811UNSPSC 7.090139121410UNSPSC 1139121410UNSPSC 12.0139121410UNSPSC 13.227111510

ETIM for 1204588 Hand tools (EC002109)

Feature Name**Feature Value**

Length (EF001438)

205 mm

Strip range cross-section (EF007568)

0.08 mm²

Strip range diameter (EF007567)

0.5 mm

Strip length adjustable (EF006222)

Yes

Depth of notch adjustable (EF005931)

No

Self-adjusting (EF022889)

Yes

Jaw length (EF005953)

6 mm

Head width (EF006645)

17 mm

Head height (EF025409)

38 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

No

Spiral cut (EF005299)

No

With wire cutter (EF000163)...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / QUICK WIREFOX 6 NEUTRAL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.