

INDUSTRIAL COMPONENT DATA

QUICK WIREFOX 6 SC 1207637 PHOENIX CONTACT Stripping pliers

Brand: PHOENIX CONTACT | Manufacturer Part Number: QUICK WIREFOX 6 SC



Manufacturer	PHOENIX CONTACT
MPN / Reference	QUICK WIREFOX 6 SC
Catalog number	1207637
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-7144D66F82
Generated	2026-08-05

Product Overview

Stripping pliers

De-insulating pliers for short-circuit resistant cables, de-insulating range: 1.5 to 6 mm², cable cutters up to 6 mm², cable stop up to 18 mm²

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1207637

Packing unit 1 pc

Catalog page Page 532 (CL-2007)

GTIN 4017918910136

Weight per Piece (excluding packing) 233.400 g

Custom tariff number 82032000

Country of origin GB (United Kingdom)

Dimensions

Length (b) 205 mm

Cable diameter 0.5 mm ... 2.9 mm

Stripping length 18 mm

General

Color black

Weight 0.2 kg

Min. cross section 0.2 mm²

Max. cross section 6 mm²

AWG min 24

AWG max 10

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.121040300eCl@ss 6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC001186ETIM 5.0EC000163ETIM 6.0EC002109

UNSPSC 6.0130211811UNSPSC 7.090139121410UNSPSC 1139121410UNSPSC 12.0139121410UNSPSC 13.227111518

ETIM for 1207637 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

205 mm

Strip range cross-section (EF007568)

0.2 mm²

Strip range diameter (EF007567)

0.5 mm

Strip length adjustable (EF006222)

Yes

Depth of notch adjustable (EF005931)

No

Self-adjusting (EF022889)

Yes

Jaw length (EF005953)

6 mm

Head width (EF006645)

17 mm

Head height (EF025409)

38 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

No

Spiral cut (EF005299)

No

With wire cutter (EF000163)

Yes

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No
Hand...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / QUICK WIREFOX 6 SC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.