


INDUSTRIAL COMPONENT DATA

RC-Z2053 1604218 PHOENIX CONTACT Cable gland

Brand: PHOENIX CONTACT | Manufacturer Part Number: RC-Z2053



Manufacturer	PHOENIX CONTACT
MPN / Reference	RC-Z2053
Catalog number	1604218
Category	Cable gland
Minimum order	20 Pcs
Document ID	EO-3E50CFB850
Generated	2026-08-04

Product Overview

Cable gland

Cable gland, shielded: no, cable diameter range: 10 mm... 14 mm, series: RC

Cable gland, screw connection material: Brass, nickel-plated, outer diameter of the cable 10 mm ... 14 mm, shielding: no, connection thread: Pg13.5, series: RC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1604218

Packing unit 20 pc

Minimum order quantity 10 pc

Note Made to Order (non-returnable)

GTIN 4046356248136

Weight per Piece (excluding packing) 38.760 g

Custom tariff number 74199990

Country of origin DE (Germany)

General

Conductor entry 10 mm ... 14 mm

Pg housing screw connection Pg13,5

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 4.0272607xxeCl@ss 4.127260701eCl@ss 5.027260701eCl@ss 5.127260700eCl@ss 6.027149100eCl@ss
7.027149109eCl@ss 8.027149109eCl@ss 9.027144432

ETIM 3.0EC001121ETIM 4.0EC000441ETIM 5.0EC000441ETIM 6.0EC000441

UNSPSC 6.0143172015UNSPSC 7.090143201404UNSPSC 1143172015UNSPSC 12.0143201404UNSPSC
13.239121311

ETIM for 1604218 Cable glands and cable entry products (EC000441)

Feature Name

Feature Value

Thread type (EF001758)

PG

Nominal thread size inch/gas pipe thread (EF007838)

Other

Suitable for cable diameter (EF005466)

10 mm

Material (EF002169)

Other

Material quality (EF001257)

Other

Surface protection (EF000139)

Other

Halogen free (EF000025)

No

Degree of protection (IP) (EF005474)

IP65

Snapping in opening (EF012547)

No

Model (EF000010)

Straight

Separable screw gland (EF005337)

No

Explosion-tested version (EF004191)

No

For Ex-zone gas (EF005728)

None

For Ex-zone dust (EF008404)

None

For armoured cable (EF012184)

No

EMC-version (EF001062)....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / RC-Z2053 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.