


INDUSTRIAL COMPONENT DATA

VL PORTICO SERVER 4 CLIENT 2701455 PHOENIX CONTACT Software

Brand: PHOENIX CONTACT | Manufacturer Part Number: VL PORTICO SERVER 4 CLIENT



Manufacturer	PHOENIX CONTACT
MPN / Reference	VL PORTICO SERVER 4 CLIENT
Catalog number	2701455
Category	Automation software, others
Minimum order	1 Pcs
Document ID	EO-F023018B36
Generated	2026-08-02

Product Overview

Software

Remote network portal software. Allows remote control/viewing of up to four remotely connected client PCs simultaneously.

Remote network portal software. Allows remote control/viewing from up to four simultaneously connected remote client PCs.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Control Systems (CST)
--------------	---

Additional Product Information

Technical dataProduct propertiesProduct type Remote control software

System propertiesIntended use for the software Remote desktop control

License information

Type of license Activation

Functionality

Basic functions Remote control software

System requirements

Operating system Windows® 7

Windows® 10

Processor Atom™ or above

Hard disk memory >= 100 Mbyte (minimum (client and server))

RAM >= 512 Mbyte (minimum)

Interfaces ≥ 100 Mbps Ethernet LAN

Languages supported German, English, French, Spanish, Italian

ETIM for 2701455 PLC's (EC001435)

Feature Name

Feature Value

Integrated diagnosis function (EF003063)

No

Integrated configuration function (EF003064)

No

Integrated application configuration function (EF003066)

No

With data detection function (EF003324)

No

Integrated communication function (EF003068)

No

Technology function integrated (EF003069)

No

Put into operation function integrated (EF003070)

No

Simulation function integrated (EF003072)

No

Integrated motion function (EF003073)

No

Integrated analysis function (EF003074)

No

Integrated position function (EF003075)

No

Maintenance function integrated (EF003328)

No

Multi-lingual (EF003333)

Yes

Suitable for target system PLC (EF003334)

No

Suitable for target system PC (EF003335)

No

Suitable for target system HMI (EF003336)

No

Suitable for other target system (EF004140)

No

Suitable for safety functions (EF001597)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VL PORTICO SERVER 4 CLIENT with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.