

INDUSTRIAL COMPONENT DATA

CUTFOX 50 STEEL 1212526 PHOENIX CONTACT

Cable-cutting tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CUTFOX 50 STEEL



Manufacturer	PHOENIX CONTACT
MPN / Reference	CUTFOX 50 STEEL
Catalog number	1212526
Category	Cable shears
Minimum order	1 Pcs
Document ID	EO-933738464E
Generated	2026-08-03

Product Overview

Cable-cutting tool

Ring cable cutter, with ratchet function, for copper and aluminium up to 50 mm Ø, for reinforced cables in CU/AL steel, for flex steel rope. up to 12 mm diameter

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212526

Packing unit 1 pc

Catalog page Page 392 (C-3-2017)

GTIN 4046356589543

Weight per Piece (excluding packing) 1,420.000 g

Custom tariff number 82034000

Country of origin DE (Germany)

Dimensions

Length (b) 260 mm

Width (a) 110 mm

General

Color black

Weight 950 g

Min. cross section 50 mm²

Max. cross section 500 mm²

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121044701eCl@ss 4.021040302eCl@ss 4.121040302eCl@ss 5.021040302eCl@ss 5.121040300eCl@ss

6.021049000eCl@ss 7.021044701eCl@ss 8.021044701eCl@ss 9.021044701

ETIM 4.0EC000142ETIM 5.0EC000142ETIM 6.0EC000142

UNSPSC 6.0123171604UNSPSC 7.090123171604UNSPSC 1123171604UNSPSC 12.0123171604UNSPSC

13.227111506

ETIM for 1212526 Cable cutting and crimping tools (EC000142)

Feature Name

Feature Value

Construction/operation (EF001462)

Other

Suitable for max. cable diameter (EF000016)

50 mm

Max. cable cross section (EF000058)

500 mm²

Suitable for stranded conductors (EF007818)

No

Suitable for fine strand conductors (EF007804)

Yes

Suitable for solid conductors (EF007816)

Yes

Suitable for steel wire braiding (EF000152)

Yes

Total length (EF000369)

260 mm

Replaceable cutting head (EF000153)

Yes

Cutting jaws exchangeable (EF008045)

Yes

With strip function (EF007938)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No

Grip design (EF007841)

1-co...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CUTFOX 50 STEEL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.