

INDUSTRIAL COMPONENT DATA

SAC-12P-30,0-PVC/FS SCO 1411369 PHOENIX CONTACT

Sensor/actuator cable SAC-12P-30,0-PVC/FS SCO 1411369

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-12P-30,0-PVC/FS SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-12P-30,0-PVC/FS SCO
Catalog number	1411369
Category	Sensor-actuator patch cord
Minimum order	25 Pcs
Document ID	EO-F1076820FE
Generated	2026-08-05

Product Overview

Sensor/actuator cable - SAC-12P-30,0-PVC/FS SCO - 1411369

Sensor/actuator cable, 12-pole, PVC, black RAL 9005, free cable end, over straight M12 SPEEDCON female connector, A-coded, cable length: 30 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Sensor/actuator cable, 12-pos., PVC, RAL 9005 (black), free cable end, to straight M12 SPEEDCON socket, A-coded, cable length: 30 m

Key Commercial Data

Orderkey 1411369

Packing unit 1

GTIN 4046356932561

Custom tariff number 85444290

General

Rated voltage 30 V AC

30 V DC

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 5.1 27061801

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

ETIM

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 13.2 31251501

ETIM for 1411369 Sensors (EC001855)

Feature Name

Feature Value

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Cable type (EF000081)

Multi-core

Vulcanize (EF004115)

No

Permitted cable outer temperature after assembling without vibration (EF001686)

-25 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-5 °C

Rated voltage (EF000228)

30 V

Degree of protection (IP) (EF005474)

IP65

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-12P-30,0-PVC/FS SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.