

INDUSTRIAL COMPONENT DATA

SAC-12P-MR/ 0,5-PVC/FR SCO 1404290 PHOENIX CONTACT

Sensor/actuator cable, 12-pos., PVC, RAL 9005 black, M12 ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-12P-MR/ 0,5-PVC/FR SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-12P-MR/ 0,5-PVC/FR SCO
Catalog number	1404290
Category	Sensor-actuator patch cord
Minimum order	50 Pcs
Document ID	EO-C8CB7D4179
Generated	2026-08-06

Product Overview

Sensor/actuator cable, 12-pos., PVC, RAL 9005 black, M12 SPEEDCON angled plug, A-coded, to M12 SPEEDCON angled socket, cable length: 0.5 m

Sensor/actuator cable, 12 poles, PVC, black RAL 9005, angled connector SPEEDCON M12, coded A, in angled female SPEEDCON M12 connection, cable length: 0.5 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Key Commercial Data

Orderkey 1404290

Packing unit 1

GTIN 4046356685467

Custom tariff number 85444290

Drawings

Environmental Product Compliance

General

Classifications

Drawings

Dimensional drawing

M12 SPEEDCON plug, angled

[Circuit diagram](#)

[Contact assignment of the M12 plug](#)

[Schematic diagram](#)

[Pin assignment M12 male connector, 12-pos., male side view](#)

[Back to top](#)[General](#)

[Rated voltage 30 V AC](#)

[30 V DC](#)

[Back to top](#)[Environmental Product Compliance](#)

[REACH SVHC](#)

[Lead 7439-92-1](#)

[China RoHS Environmentally Friendly Use Period = 50](#)

[For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"](#)

[Back to top](#)[Classifications](#)

[eCl@ss](#)

[eCl@ss 4.0 27060300](#)

[eCl@ss 4.1 27060300](#)

[eCl@ss 5.0 27061800](#)

[eCl@ss 5.1 27061800](#)

[eCl@ss 6.0 27279200](#)

[eCl@ss 7.0 27279218](#)

[eCl@ss 8.0 27279218](#)

[eCl@ss 9.0 27060311](#)

[Back to top](#)[ETIM](#)

[ETIM 3.0 EC001855](#)

[ETIM 4.0 EC001855](#)

[ETIM 5.0 EC001855](#)

[ETIM 6.0 EC001855](#)

[ETIM 7.0 EC001855](#)

[Back to top](#)[UNSPSC](#)

[UNSPSC 6.01 26121616](#)

[UNSPSC 7.0901 26121616](#)

[UNSPSC 11 26121604](#)

[UNSPSC 12.01 31251501](#)

[UNSPSC 13.2 31251501](#)

[UNSPSC 19.0 31251501](#)

[UNSPSC 20.0 31251501](#)

[UNSPSC 21.0 31251501](#)

[Back to top](#)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-12P-MR/ 0,5-PVC/FR SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.