

INDUSTRIAL COMPONENT DATA

SAC-12P-MS/ 7,5-35T/FS SH SCO 1417635 PHOENIX CONTACT Sensor/actuator cable SAC-12P-MS/ 7,5-35T/FS SH SCO 14..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-12P-MS/ 7,5-35T/FS SH SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-12P-MS/ 7,5-35T/FS SH SCO
Catalog number	1417635
Category	Sensor-actuator patch cord
Minimum order	25 Pcs
Document ID	EO-E0442979E8
Generated	2026-08-04

Product Overview

Sensor/actuator cable - SAC-12P-MS/ 7,5-35T/FS SH SCO - 1417635

Sensor/actuator cable, 12 poles, PUR/PVC, RAL9005 black, shielded, M12 SPEEDCON straight connector, A-coded, in M12 SPEEDCON straight female connector, A-coded, cable length: 7.5m

Sensor/actuator cable, 12-pin, PUR/PVC, black RAL 9005, shielded, straight plug M12 SPEEDCON, A-coded, on straight M12 SPEEDCON socket, A-coded, length: 7.5 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial Field Connectivity (IFC)
--------------	---

Additional Product Information

Sensor/actuator cable, 12-pos., PUR/PVC, RAL 9005 (black), shielded, straight M12 SPEEDCON connector (A-coded) to straight M12 SPEEDCON socket (A-coded), cable length: 7.5 m

Key Commercial Data

Orderkey 1417635

Packing unit 1

GTIN 4055626119014

Custom tariff number 85444290

General

Rated voltage 30 V AC

30 V DC

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 5.1 27061801

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

ETIM

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 13.2 31251501

ETIM for 1417635 Sensors (EC001855)

Feature Name

Feature Value

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of plug-in contact, box-sided (EF008386)

Female (bus)

Positioning cable feed, box-sided (EF005927)

Straight

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

Yes

Cable type (EF000081)

Multi-core

Vulcanize (EF004115)

No

Rated voltage (EF000228)

30 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-12P-MS/ 7,5-35T/FS SH SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.