

INDUSTRIAL COMPONENT DATA

SAC-17P-MR/ 0,5-PUR SCO 1417310 PHOENIX CONTACT

Sensor/actuator cable SAC-17P-MR/ 0,5-PUR SCO 1417310

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-17P-MR/ 0,5-PUR SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-17P-MR/ 0,5-PUR SCO
Catalog number	1417310
Category	Sensor-actuator patch cord
Minimum order	1 Pcs
Document ID	EO-C12ECEC946
Generated	2026-08-05

Product Overview

Sensor/actuator cable - SAC-17P-MR/ 0,5-PUR SCO - 1417310

Sensor/actuator cable, 17 poles, halogen-free PUR, black RAL9005, M12 SPEEDCON angled connector, A-coated, at free cable end, cable length: 0.5m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Industrial Field Connectivity (IFC)

Additional Product Information

Sensor/actuator cable, 17-pos., PUR, halogen-free, RAL 9005 (black), angled M12 SPEEDCON connector (A-coded) to free cable end, cable length: 0.5 m

Key Commercial Data

Orderkey 1417310

Packing unit 1

GTIN 4055626113616

Custom tariff number 85444290

General

Rated voltage 30 V AC

30 V DC

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCI@ss

eCI@ss 5.1 27061801

eCI@ss 6.0 27279200

eCI@ss 7.0 27279218

eCI@ss 8.0 27279218

eCI@ss 9.0 27060311

ETIM

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 13.2 31251501

ETIM for 1417310 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

17

Type of electrical connection, field-sided (EF005525)

M12

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Angled

Type of electrical connection, box-sided (EF005524)

Other

Positioning cable feed, box-sided (EF005927)

Other

Cable length (EF000536)

0.5 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

Yes

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No

Screened (EF000881)

No

Cable type (EF000081)

Multi-core

Vulcanize (EF004115)

No

Material contact body (EF008248)

CuZn

Material of contact surface (EF004020)

Other

Permitted cable outer temperature after assembling without vibration (EF001686)

-40...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-17P-MR/ 0,5-PUR SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.