

INDUSTRIAL COMPONENT DATA

SAC-17P-MS/ 2,0-PVC/FS SCO 1436259 PHOENIX CONTACT

Cable for sensors/actuators

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-17P-MS/ 2,0-PVC/FS SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-17P-MS/ 2,0-PVC/FS SCO
Catalog number	1436259
Category	Sensor-actuator patch cord
Minimum order	1 Pcs
Document ID	EO-1860B576B4
Generated	2026-08-03

Product Overview

Cable for sensors/actuators

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Sensor/Actuator Cable

Commercial data

Order key 1436259

Packaging unit 1 PC

Sales key C1 - Sensor-Actuator Cable

GTIN 4046356913669

Weight per piece (excluding packaging) 77,730 g

Weight per piece (including packaging) 164,400 g

Customs tariff number 85444290

Country of origin DE (Germany)

General

Rated voltage 30 V AC

30 V DC

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Period for Intended Use (EFUP): 50 years

Information about hazardous substances can be found in the manufacturer's declaration under the "Downloads" tab

Classifications

eCl@ss

eCl@ss 5.1 27061801

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

ETIM

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 13.2 31251501

ETIM for 1436259 Sensors (EC001855)

Feature Name

Feature Value

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Cable type (EF000081)

Multi-core

Vulcanize (EF004115)

No

Permitted cable outer temperature after assembling without vibration (EF001686)

-5 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-25 °C

Rated voltage (EF000228)

30 V

Degree of protection (IP) (EF005474)

IP65

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-17P-MS/ 2,0-PVC/FS SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.