

**INDUSTRIAL COMPONENT DATA**

# SAC-3P-M12MR/0,3-121/A-1L-V VA 1404898 PHOENIX CONTACT Sensor/actuator cable, 3-pos., PUR, halogen-free, ang..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-3P-M12MR/0,3-121/A-1L-V VA



|                 |                                |
|-----------------|--------------------------------|
| Manufacturer    | PHOENIX CONTACT                |
| MPN / Reference | SAC-3P-M12MR/0,3-121/A-1L-V VA |
| Catalog number  | 1404898                        |
| Category        | Sensor-actuator patch cord     |
| Minimum order   | 50 Pcs                         |
| Document ID     | EO-F2E398A32E                  |
| Generated       | 2026-08-05                     |

## Product Overview

Sensor/actuator cable, 3-pos., PUR, halogen-free, angled M12 male plug with high-grade steel knurl, A-coded, to valve connector-in plug A, with LED, connected to varistor, cable length: 0.3 m

Sensor/actuator cable, 3-pole, halogen-free PUR, M12 angled male connector with stainless steel knurling, A-coded, in A valve connector, with LED, connected with varistor, cable length: 0.3 m

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

## Additional Product Information

Key Commercial Data

Orderkey 1404898

Packing unit 1

GTIN 4046356727457

Custom tariff number 85444290

General

Classifications

Environmental Product Compliance

General

Rated voltage 24 V AC

24 V DC

[Back to top](#)Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

[Back to top](#)Classifications

eCl@ss

eCl@ss 4.0 27060300

eCl@ss 4.1 27060300

eCl@ss 5.0 27061800

eCl@ss 5.1 27061800

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

[Back to top](#)ETIM

ETIM 3.0 EC001855

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

[Back to top](#)UNSPSC

UNSPSC 6.01 31251501

UNSPSC 7.0901 31251501

UNSPSC 11 31251501

UNSPSC 12.01 31251501

UNSPSC 13.2 31251501

UNSPSC 19.0 31251501

UNSPSC 20.0 31251501

UNSPSC 21.0 31251501

[Back to top](#)

ETIM for 1404898 Sensors (EC001855)

Feature Name

Feature Value

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Vulcanize (EF004115)

No

Rated voltage (EF000228)

24 V

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-3P-M12MR/0,3-121/A-1L-V VA with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.