

INDUSTRIAL COMPONENT DATA

SAC-3P-MR/10,0-PUR/C-1L-Z SCO 1439036 PHOENIX CONTACT Cable, Plug angled M12 SPEEDCON, A-coded, on Valve con..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-3P-MR/10,0-PUR/C-1L-Z SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-3P-MR/10,0-PUR/C-1L-Z SCO
Catalog number	1439036
Category	Sensor-actuator patch cord
Minimum order	1 Pcs
Document ID	EO-4CAFDB3749
Generated	2026-08-05

Product Overview

Cable, Plug angled M12 SPEEDCON, A-coded, on Valve connector C (8 mm), with 1 LED, connected with Z diode, cable length: 10 m

Cable, M12 angled connector, coding: A SPEEDCON, a C valve connectors (8mm), with 1 LED, connected with Diode Z, cable length: 10 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial Field Connectivity (IFC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1439036

Packing unit 1

GTIN 4046356505185

Custom tariff number 85444290

Dimensions

Environmental Product Compliance

General

Classifications

Dimensions

Length of cable 10 m

[Back to top](#)[General](#)

Rated voltage 24 V AC

24 V DC

[Back to top](#)[Environmental Product Compliance](#)

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to top](#)[Classifications](#)

eCl@ss

eCl@ss 4.0 27060300

eCl@ss 4.1 27060300

eCl@ss 5.0 27061800

eCl@ss 5.1 27061800

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

[Back to top](#)[ETIM](#)

ETIM 3.0 EC001855

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

[Back to top](#)[UNSPSC](#)

UNSPSC 6.01 31251501

UNSPSC 7.0901 31251501

UNSPSC 11 31251501

UNSPSC 12.01 31251501

UNSPSC 13.2 31251501

UNSPSC 19.0 31251501

UNSPSC 20.0 31251501

UNSPSC 21.0 31251501

[Back to top](#)

[ETIM for 1439036 Sensors \(EC001855\)](#)

Feature Name

Feature Value

Type of electrical connection, field-sided (EF005525)

M12

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Other

Type of electrical connection, box-sided (EF005524)

M12

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Angled

Cable length (EF000536)

10 m

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Vulcanize (EF004115)

No

Rated voltage (EF...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-3P-MR/10,0-PUR/C-1L-Z SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.