

INDUSTRIAL COMPONENT DATA

NBC-M12MSD/22,1-93B/M12MSD AB1 1403996 PHOENIX CONTACT Sensor/actuator cable

Brand: PHOENIX CONTACT | Manufacturer Part Number: NBC-M12MSD/22,1-93B/M12MSD AB1



Manufacturer	PHOENIX CONTACT
MPN / Reference	NBC-M12MSD/22,1-93B/M12MSD AB1
Catalog number	1403996
Category	Sensor-actuator patch cord
Minimum order	25 Pcs
Document ID	EO-E23B6AA87A
Generated	2026-07-31

Product Overview

Sensor/actuator cable

Network cable, PROFINET CAT5 (100 MBit/s), EtherCAT® CAT5 (100 MBit/s), 4-pole, PVC/PVC, green RAL 6018, shielded (Advanced Shielding Technology), cable length: 22.1 m, Customer variant

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Key Commercial Data

Orderkey 1403996

Packing unit 1 pc

Minimum order quantity 25 pc

GTIN 4046356676120

Weight per Piece (excluding packing) 1,540.000 g

Custom tariff number 85444210

Country of origin PL (Poland)

General

Classifications

Environmental Product Compliance

General

Rated voltage 48 V AC

60 V DC

[Back to top](#)Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

[Back to top](#)Classifications

eCl@ss

eCl@ss 4.0 27060306

eCl@ss 4.1 27060306

eCl@ss 5.0 27061801

eCl@ss 5.1 27061801

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

[Back to top](#)ETIM

ETIM 3.0 EC001855

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

[Back to top](#)UNSPSC

UNSPSC 6.01 31251501

UNSPSC 7.0901 31251501

UNSPSC 11 31251501

UNSPSC 12.01 31251501

UNSPSC 13.2 31251501

UNSPSC 19.0 31251501

UNSPSC 20.0 31251501

UNSPSC 21.0 31251501

[Back to top](#)

ETIM for 1403996 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

4

Cable length (EF000536)

22.1 m

Material of cable sheath (EF004136)

Polyvinyl chloride (PVC)

Halogen free (EF000025)

Yes

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No

Screened (EF000881)

Yes

Vulcanize (EF004115)

No

Material contact body (EF008248)

Other

Permitted cable outer temperature after assembling without vibration (EF001686)

-40 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-40 °C...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / NBC-M12MSD/22,1-93B/M12MSD AB1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.