

INDUSTRIAL COMPONENT DATA

SAC-4P-MS/5,0-100/8PFS SH F-MI 1446524 PHOENIX CONTACT Sensor/actuator cable SAC-4P-MS/5,0-100/8PFS SH F-MI ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-4P-MS/5,0-100/8PFS SH F-MI



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-4P-MS/5,0-100/8PFS SH F-MI
Catalog number	1446524
Category	Sensor-actuator patch cord
Minimum order	50 Pcs
Document ID	EO-E4C8B6C946
Generated	2026-08-05

Product Overview

Sensor/actuator cable - SAC-4P-MS/5,0-100/8PFS SH F-MI - 1446524

Sensor/actuator cable, halogen-free PUR, grey RAL 7001

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

Additional Product Information

Sensor/actuator cable

Key Commercial Data

Orderkey 1446524

Packing unit 1

GTIN 4046356647601

Custom tariff number 85444290

General

Rated voltage 30 V AC

30 V DC

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 4.0 27060306

eCl@ss 4.1 27060306

eCl@ss 5.0 27060300

eCl@ss 5.1 27061804

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

ETIM

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 6.01 31251501

UNSPSC 7.0901 31251501

UNSPSC 11 31251501

UNSPSC 12.01 31251501

UNSPSC 13.2 31251501

ETIM for 1446524 Sensors (EC001855)

Feature Name

Feature Value

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

Yes

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No

Screened (EF000881)

No

Cable type (EF000081)

Multi-core

Vulcanize (EF004115)

No

Permitted cable outer temperature after assembling without vibration (EF001686)

-40 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-25 °C

Rated voltage (EF000228)

30 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-4P-MS/5,0-100/8PFS SH F-MI with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.