

INDUSTRIAL COMPONENT DATA

SAC-5P-MR 3,0-923 MC SCO SI 1410111 PHOENIX CONTACT

Sensor/actuator cable SAC-5P-MR 3,0-923 MC SCO SI 1410111

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-5P-MR 3,0-923 MC SCO SI



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-5P-MR 3,0-923 MC SCO SI
Catalog number	1410111
Category	Sensor-actuator patch cord
Minimum order	100 Pcs
Document ID	EO-5EE8B3189C
Generated	2026-08-04

Product Overview

Sensor/actuator cable - SAC-5P-MR 3,0-923 MC SCO SI - 1410111

Bus system cable, CANopen®, DeviceNet™, 5-pole, halogen-free PUR, silver grey RAL 7001, shielded, M12 SPEEDCON angled connector, coding: A, to free cable end, cable length: 3 m, Unshielded plug-in connector, Customer variant, free end assembled with connector for 1803581 MC 1.5/ 3-ST-3.81 printed circuit board

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Industrial Field Connectivity (IFC)
--------------	---

Additional Product Information

Sensor/actuator cable

Key Commercial Data

Orderkey 1410111

Packing unit 1

GTIN 4046356890373

Custom tariff number 85444290

General

Rated voltage 48 V AC

60 V DC

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 4.0 27060307

eCl@ss 4.1 27060307

eCl@ss 5.0 27061801

eCl@ss 5.1 27060307

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

ETIM

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 6.01 26121616

UNSPSC 7.0901 26121616

UNSPSC 11 26121604

UNSPSC 12.01 26121616

UNSPSC 13.2 31251501

ETIM for 1410111 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

5

Type of electrical connection, field-sided (EF005525)

Other

Positioning cable feed, field-sided (EF005928)

Other

Type of electrical connection, box-sided (EF005524)

M12

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Angled

Cable length (EF000536)

3 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

Yes

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No
Screened (EF000881)
Yes
Vulcanize (EF004115)
No
Material contact body (EF008248)
Other
Material of contact surface (EF004020)
Other
Permitted cable outer temperature after assembling without vibration (EF001686)
-4...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-5P-MR 3,0-923 MC SCO SI with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.