

INDUSTRIAL COMPONENT DATA

SAC-8P-MS/1,1-PUR/MR SH SCO 1404560 PHOENIX CONTACT

Sensor/actuator cable, 8-pos., PUR, halogen free, black-..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-8P-MS/1,1-PUR/MR SH SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-8P-MS/1,1-PUR/MR SH SCO
Catalog number	1404560
Category	Data cable
Minimum order	50 Pcs
Document ID	EO-60FD6CA5D8
Generated	2026-08-04

Product Overview

Sensor/actuator cable, 8-pos., PUR, halogen free, black-gray RAL 7021, shielded, straight M12 SPEEDCON plug, A-coded, to angled M12 SPEEDCON plug, A-coded, cable length: 1.1 m

Sensor/actuator cable, 8 poles, halogen-free PUR, greyish black RAL 7021, shielded, SPEEDCON M12 straight male connector, A-coded, over SPEEDCON M12 angled male connector, A-coded, cable length: 1.1 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Industrial Field Connectivity (IFC)

Additional Product Information

Key Commercial Data

Orderkey 1404560

Packing unit 1 pc

Minimum order quantity 50 pc

GTIN 4046356699679

Weight per Piece (excluding packing) 80.000 g

Custom tariff number 85444290

Country of origin PL (Poland)

General
Classifications
Environmental Product Compliance
General

Rated voltage 30 V AC

30 V DC

[Back to top](#)Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to top](#)Classifications

eCl@ss

eCl@ss 4.0 24010400

eCl@ss 4.1 24010400

eCl@ss 5.0 19030300

eCl@ss 5.1 19030300

eCl@ss 6.0 27061800

eCl@ss 7.0 27061801

eCl@ss 8.0 27061801

eCl@ss 9.0 27061801

[Back to top](#)ETIM

ETIM 3.0 EC001855

ETIM 4.0 EC001855

ETIM 5.0 EC000830

ETIM 6.0 EC000830

ETIM 7.0 EC003249

[Back to top](#)UNSPSC

UNSPSC 6.01 31251501

UNSPSC 7.0901 31251501

UNSPSC 11 31251501

UNSPSC 12.01 31251501

UNSPSC 13.2 26121604

UNSPSC 18.0 26121604

UNSPSC 19.0 26121604

UNSPSC 20.0 26121604

UNSPSC 21.0 26121604

[Back to top](#)

ETIM for 1404560 Sensors (EC001855)

Feature Name

Feature Value

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Angled

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Cable type (EF000081)

Multi-core

Vulcanize (EF004115)

No

Rated voltage (EF000228...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-8P-MS/1,1-PUR/MR SH SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.