

**INDUSTRIAL COMPONENT DATA**

# NBC-M12MRD/10,0-93E/R4AC S 1407832 PHOENIX CONTACT

## Network cable SAC-M12MRD/10,0-93E/R4AC S 1407832

Brand: PHOENIX CONTACT | Manufacturer Part Number: NBC-M12MRD/10,0-93E/R4AC S



|                 |                            |
|-----------------|----------------------------|
| Manufacturer    | PHOENIX CONTACT            |
| MPN / Reference | NBC-M12MRD/10,0-93E/R4AC S |
| Catalog number  | 1407832                    |
| Category        | Sensor-actuator patch cord |
| Minimum order   | 20 Pcs                     |
| Document ID     | EO-185F8BFE6E              |
| Generated       | 2026-08-04                 |

### Product Overview

Network cable - SAC-M12MRD/10,0-93E/R4AC S - 1407832

Network cable, Ethernet, 4-pole, PUR, water blue RAL5021, shielded, Angled connector M12, coding: D, a Straight RJ45 connector, cable length: 10 m

**STRUCTURED PRODUCT DATA**

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Field Connectivity (IFC)**

### Additional Product Information

Network cable, Ethernet, 4-position, PUR, water blue RAL 5021, shielded, Plug angled M12, coding: D, on Plug straight RJ45, cable length: 10 m

Key Commercial Data

Orderkey 1407832

Packing unit 1

GTIN 4046356773706

Custom tariff number 85444290

Dimensions

Length of cable 10 m

General

Rated voltage 48 V AC

60 V DC

Number of positions 4

Signal type/category Ethernet

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 4.0 27060306

eCl@ss 4.1 27060306

eCl@ss 5.0 27061801

eCl@ss 5.1 27061800

eCl@ss 6.0 27279200

eCl@ss 7.0 27279218

eCl@ss 8.0 27279218

eCl@ss 9.0 27060311

ETIM

ETIM 3.0 EC001121

ETIM 4.0 EC002599

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 6.01 31261501

UNSPSC 7.0901 31261501

UNSPSC 11 31261501

UNSPSC 12.01 31261501

UNSPSC 13.2 31251501

ETIM for 1407832 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

4

Type of electrical connection, field-sided (EF005525)

Other

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of electrical connection, box-sided (EF005524)

M12

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Angled

Cable length (EF000536)

10 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

No...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / NBC-M12MRD/10,0-93E/R4AC S with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.