

INDUSTRIAL COMPONENT DATA

SAC-MS/ 1,5/0,1-116/2XA-1L-Z 1413519 PHOENIX CONTACT

Double valve connector cable SAC-MS/ 1,5/0,1-116/2XA-1L..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-MS/ 1,5/0,1-116/2XA-1L-Z



Manufacturer	PHOENIX CONTACT
MPN / Reference	SAC-MS/ 1,5/0,1-116/2XA-1L-Z
Catalog number	1413519
Category	Sensor-actuator patch cord
Minimum order	50 Pcs
Document ID	EO-7EA8DB37ED
Generated	2026-08-05

Product Overview

Double valve connector cable - SAC-MS/ 1,5/0,1-116/2XA-1L-Z - 1413519

Cable for double valve connectors, 4 poles, PUR/PVC, black RAL9005, SPEEDCON connector, in A valve connector, with 1 LED, connected with Z diode and A valve connector, with 1 LED, connected with Z diode, cable length: 1.5m, valve connector distance: 0.1m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Industrial Field Connectivity (IFC)

Additional Product Information

Double-valve connector cable, 4-pos., PUR/PVC, black RAL 9005, SPEEDCON connector, to valve connector A, with 1 LED, connected to a Zener diode and valve connector A, with 1 LED, connected to a Zener diode, cable length: 1.5 m, valve connector spacing: 0.1 m

Key Commercial Data

Orderkey 1413519

Packing unit 1

GTIN 4055626003306

Custom tariff number 85444290

General

Rated voltage 24 V AC

24 V DC

Environmental Product Compliance

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCI@ss

eCI@ss 5.1 27061801

eCI@ss 6.0 27279200

eCI@ss 7.0 27279218

eCI@ss 8.0 27279218

eCI@ss 9.0 27060311

ETIM

ETIM 4.0 EC001855

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

UNSPSC

UNSPSC 13.2 31251501

ETIM for 1413519 Sensors (EC001855)

Feature Name

Feature Value

Type of electrical connection, field-sided (EF005525)

Other

Type of plug-in contact, field sided (EF006269)

Male (plug)

Positioning cable feed, field-sided (EF005928)

Straight

Type of electrical connection, box-sided (EF005524)

Other

Type of plug-in contact, box-sided (EF008386)

Male (plug)

Positioning cable feed, box-sided (EF005927)

Straight

Halogen free (EF000025)

No

With LED indication (EF005950)

No

Screened (EF000881)

No

Vulcanize (EF004115)

No

Rated voltage (EF000228)

24 V

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-MS/ 1,5/0,1-116/2XA-1L-Z with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.