INDUSTRIAL COMPONENT DATA

# SAC-MS/ 1,5/0,1-116/2XA-1L-Z 1413519 PHOENIX CONTACT Double valve connector cable SAC-MS/ 1,5/0,1-116/2XA-1L..

**Brand: PHOENIX CONTACT | Manufacturer Part Number: SAC-MS/ 1,5/0,1-116/2XA-1L-Z**

| | |
|---|---|
| Manufacturer | PHOENIX CONTACT |
| MPN / Reference | SAC-MS/ 1,5/0,1-116/2XA-1L-Z |
| Catalog number | 1413519 |
| Category | Sensor-actuator patch cord |
| Minimum order | 50 Pcs |
| Document ID | EO-7EA8DB37ED |
| Generated | 2026-08-06 |

## Product Overview

Double valve connector cable - SAC-MS/ 1,5/0,1-116/2XA-1L-Z - 1413519
Cable for double valve connectors, 4 poles, PUR/PVC, black RAL9005, SPEEDCON connector, in A valve connector, with 1 LED, connected with Z diode and A valve connector, with 1 LED, connected with Z diode, cable length: 1.5m, valve connector distance: 0.1m

STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

| | |
|---|---|
| Catalog path | PHOENIX CONTACT > Industrial Field Connectivity (IFC) |

## Additional Product Information

Double-valve connector cable, 4-pos., PUR/PVC, black RAL 9005, SPEEDCON connector, to valve connector A, with 1 LED, connected to a Zener diode and valve connector A, with 1 LED, connected to a Zener diode, cable length: 1.5 m, valve connector spacing: 0.1 m
Key Commercial Data
Orderkey 1413519
Packing unit 1
GTIN 4055626003306
Custom tariff number 85444290
General
Rated voltage 24 V AC
24 V DC
Environmental Product Compliance

China RoHS Environmentally Friendly Use Period = 50
For details about hazardous substances go to tab “Downloads”, Category “Manufacturer's declaration”
Classifications
eCl@ss
eCl@ss 5.1 27061801
eCl@ss 6.0 27279200
eCl@ss 7.0 27279218
eCl@ss 8.0 27279218
eCl@ss 9.0 27060311
ETIM
ETIM 4.0 EC001855
ETIM 5.0 EC001855
ETIM 6.0 EC001855
ETIM 7.0 EC001855
UNSPSC
UNSPSC 13.2 31251501
ETIM for 1413519 Sensors (EC001855)
Feature Name
Feature Value
Type of electrical connection, field-sided (EF005525)
Other
Type of plug-in contact, field sided (EF006269)
Male (plug)
Positioning cable feed, field-sided (EF005928)
Straight
Type of electrical connection, box-sided (EF005524)
Other
Type of plug-in contact, box-sided (EF008386)
Male (plug)
Positioning cable feed, box-sided (EF005927)
Straight
Halogen free (EF000025)
No
With LED indication (EF005950)
No
Screened (EF000881)
No
Vulcanize (EF004115)
No
Rated voltage (EF000228)
24 V

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SAC-MS/ 1,5/0,1-116/2XA-1L-Z with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.