

INDUSTRIAL COMPONENT DATA

SACC-DSI-M 8FS-3CON-M12/1,0 1408209 PHOENIX CONTACT

Female mounting mainstream. p/ sensors/actuators, 3-pole..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACC-DSI-M 8FS-3CON-M12/1,0



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACC-DSI-M 8FS-3CON-M12/1,0
Catalog number	1408209
Category	Circular connector, mounting (with cable)
Minimum order	1 Pcs
Document ID	EO-D3E907C083
Generated	2026-08-04

Product Overview

Female mounting mainstream. p/ sensors/actuators, 3-pole, M8, mounting wall post./mounting bolted with M12 thread, with braid TPE 0.5 m, 3 x 0.25 mm²
 Connect. plug. to be apar. wall poster., 3-pole, M12, Rear mount, 0.25 mm², PVC conductor

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data
 Orderkey 1408209
 Packing unit 1 pc
 GTIN 4046356795234
 Weight per Piece (excluding packing) 0.000 g
 Custom tariff number 85444290
 Country of origin DE (Germany)
 Drawings
 Classifications
 Environmental Product Compliance
 Drawings
 Dimensional drawing
 M8 flush-type socket

[Dimensional drawing](#)

[Housing cutout for M8 flush-type connector, socket, one-section](#)

[Schematic diagram](#)

[Pin assignment M8 socket, 3-pos., view female side](#)

[Back to top](#)[Environmental Product Compliance](#)

[China RoHS Environmentally Friendly Use Period = 25;](#)

[For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"](#)

[Back to top](#)[Classifications](#)

[eCl@ss](#)

[eCl@ss 10.0.1 27440102](#)

[eCl@ss 4.0 27250313](#)

[eCl@ss 4.1 27250313](#)

[eCl@ss 5.0 27260701](#)

[eCl@ss 5.1 27260701](#)

[eCl@ss 6.0 27279220](#)

[eCl@ss 7.0 27440103](#)

[eCl@ss 8.0 27440103](#)

[eCl@ss 9.0 27440102](#)

[Back to top](#)[ETIM](#)

[ETIM 3.0 EC002061](#)

[ETIM 4.0 EC002061](#)

[ETIM 5.0 EC002061](#)

[ETIM 6.0 EC002061](#)

[Back to top](#)[UNSPSC](#)

[UNSPSC 6.01 31251501](#)

[UNSPSC 7.0901 31251501](#)

[UNSPSC 11 31251501](#)

[UNSPSC 12.01 31251501](#)

[UNSPSC 13.2 39121413](#)

[UNSPSC 18.0 39121413](#)

[UNSPSC 19.0 39121413](#)

[UNSPSC 20.0 39121413](#)

[UNSPSC 21.0 39121413](#)

[Back to top](#)

[ETIM for 1408209 Connectors \(EC002635\)](#)

[Feature Name](#)

[Feature Value](#)

[Number of data contacts \(EF012232\)](#)

0

[Number of power contacts \(EF012216\)](#)

0

[Number of control contacts \(EF012217\)](#)

3

[Rated voltage \(EF000228\)](#)

48 V

[Type of locking \(EF000208\)](#)

Other

With protective conductor (EF007468)

No

Screened (EF000881)

No

With status indication (EF001...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACC-DSI-M 8FS-3CON-M12/1,0 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.