


INDUSTRIAL COMPONENT DATA

SACC-DSI-M8FS-3CON-M10/1,0 1421124 PHOENIX CONTACT

Female mont. mainstream. p/ sensors/actuators, 3-pole, M8..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACC-DSI-M8FS-3CON-M10/1,0



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACC-DSI-M8FS-3CON-M10/1,0
Catalog number	1421124
Category	Circular connector, mounting (with cable)
Minimum order	1 Pcs
Document ID	EO-04B154922C
Generated	2026-08-06

Product Overview

Female mont. mainstream. p/ sensors/actuators, 3-pole, M8, mounting wall post./screwed c. M10 thread c. thread trenz.
TPE 0.5 m, 3 x 0.25 mm²
Conect. plug. to be apar. wall poster., 3-pole, Rear mount, 0.25 mm², PVC conductor

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1421124

Packing unit 1 pc

GTIN 4055626253145

Weight per Piece (excluding packing) 17.000 g

Custom tariff number 85444290

Country of origin DE (Germany)

Drawings

Classifications

Environmental Product Compliance

Drawings

Dimensional drawing

M8 flush-type socket

[Dimensional drawing](#)

[Mounting panel with feed-through hole](#)

[Schematic diagram](#)

[Pin assignment M8 socket, 3-pos., view female side](#)

[Back to top](#)[Environmental Product Compliance](#)

[REACH SVHC Lead 7439-92-1](#)

[China RoHS Environmentally Friendly Use Period = 50](#)

[For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"](#)

[Back to top](#)[Classifications](#)

[eCl@ss](#)

[eCl@ss 10.0.1 27440102](#)

[eCl@ss 8.0 27440103](#)

[eCl@ss 9.0 27440102](#)

[Back to top](#)[ETIM](#)

[ETIM 5.0 EC002062](#)

[ETIM 6.0 EC002062](#)

[Back to top](#)[UNSPSC](#)

[UNSPSC 13.2 39121413](#)

[UNSPSC 18.0 39121413](#)

[UNSPSC 19.0 39121413](#)

[UNSPSC 20.0 39121413](#)

[UNSPSC 21.0 39121413](#)

[Back to top](#)

[ETIM for 1421124 Connectors \(EC002635\)](#)

[Feature Name](#)

[Feature Value](#)

[Number of data contacts \(EF012232\)](#)

0

[Number of power contacts \(EF012216\)](#)

0

[Number of control contacts \(EF012217\)](#)

3

[Rated voltage \(EF000228\)](#)

48 V

[Type of locking \(EF000208\)](#)

Other

[With protective conductor \(EF007468\)](#)

No

[Screened \(EF000881\)](#)

No

[With status indication \(EF001602\)](#)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACC-DSI-M8FS-3CON-M10/1,0 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.