

INDUSTRIAL COMPONENT DATA

SACC-DSI-M8FS-4CON-M12/1,5 1416338 PHOENIX CONTACT

Female mont. mainstream. p/ sensors/actuators, 4-pin, M8,..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACC-DSI-M8FS-4CON-M12/1,5



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACC-DSI-M8FS-4CON-M12/1,5
Catalog number	1416338
Category	Circular connector, mounting (with cable)
Minimum order	100 Pcs
Document ID	EO-FB3D6316F9
Generated	2026-08-05

Product Overview

Female mont. mainstream. p/ sensors/actuators, 4-pin, M8, mounting wall post./screwed c. M12 thread c. thread trenz. TPE 0.5 m, 4 x 0.25 mm²

Conect. plug. to be apar. wall poster., M12, Rear mount, 0.25 mm², PVC conductor

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1416338

Packing unit 1 pc

Minimum order quantity 100 pc

GTIN 4055626071459

Weight per Piece (excluding packing) 40.000 g

Custom tariff number 85444290

Country of origin DE (Germany)

Drawings

Classifications

Environmental Product Compliance

Drawings

Dimensional drawing

M8 flush-type socket

Dimensional drawing

Housing cutout for M8 flush-type connector, socket, one-section

Circuit diagram

Contact assignment of M8 plugs/sockets

Schematic diagram

Pin assignment M8 socket, 4-pos., view female side

[Back to top](#)Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to top](#)Classifications

eCl@ss

eCl@ss 10.0.1 27440102

eCl@ss 5.1 27143423

eCl@ss 8.0 27440103

eCl@ss 9.0 27440102

[Back to top](#)ETIM

ETIM 5.0 EC002061

ETIM 6.0 EC002061

[Back to top](#)UNSPSC

UNSPSC 13.2 39121413

UNSPSC 18.0 39121413

UNSPSC 19.0 39121413

UNSPSC 20.0 39121413

UNSPSC 21.0 39121413

[Back to top](#)

ETIM for 1416338 Connectors (EC002635)

Feature Name

Feature Value

Number of data contacts (EF012232)

0

Number of power contacts (EF012216)

0

Rated voltage (EF000228)

48 V

Type of locking (EF000208)

Other

With protective conductor (EF007468)

No

Screened (EF000881)

No

With status indication (EF001602)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACC-DSI-M8FS-4CON-M12/1,5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.