

INDUSTRIAL COMPONENT DATA

SACC-DSI-M8MS-6CON-M8/0,1-0,08 1426207 PHOENIX CONTACT Sensor/actuator flush-type plug, 6-pos., M8, rear/scr..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACC-DSI-M8MS-6CON-M8/0,1-0,08



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACC-DSI-M8MS-6CON-M8/0,1-0,08
Catalog number	1426207
Category	Circular connector, mounting (with cable)
Minimum order	300 Pcs
Document ID	EO-73CC9F5CE6
Generated	2026-08-04

Product Overview

Sensor/actuator flush-type plug, 6-pos., M8, rear/screw mounting, with M8 thread, with 0.5 m TPE litz wire, 6 x 0.14 mm² Incorp. mounting tap for sensors/actuators, 6 poles, M8, rear wall mounting/screw-on mounting with M8 thread, with 0.5 m TPE braided wire, 6 x 0.14 mm²

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1426207

Packing unit 1 pc

Minimum order quantity 300 pc

GTIN 4055626449258

Weight per Piece (excluding packing) 4.000 g

Custom tariff number 85444290

Country of origin DE (Germany)

Drawings

Classifications

Environmental Product Compliance

Drawings

Dimensional drawing

M8 flush-type plug

Dimensional drawing

Housing cutout for M8 flush-type connector, connector, one-section

Schematic diagram

Pin assignment M8 plug, 6-pos., view male side

[Back to top](#)Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 25;

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to top](#)Classifications

eCl@ss

eCl@ss 10.0.1 27440102

eCl@ss 8.0 27440103

eCl@ss 9.0 27440102

[Back to top](#)ETIM

ETIM 5.0 EC002061

ETIM 6.0 EC002061

[Back to top](#)

ETIM for 1426207 Connectors (EC003569)

Feature Name

Feature Value

Mounting method (EF000003)

Back wall mounting

Screw-in thread (EF012303)

M8

With shield connection (EF002535)

No

Number of poles (EF001391)

6

Number of control contacts (EF012217)

6

With PE-connection (EF005600)

No

Housing material (EF001596)

Brass

Coating housing (EF001601)

Nickel-plated

Material of contact surface (EF004020)

Other

Inflammability class of insulation material according to UL94 (EF002521)

HB

Degree of protection (IP), mounted (EF007466)

IP67

Ambient temperature (EF002386)

85 °C

Operating temperature (EF002393)

-25 °C

Rated current In (EF008250)

2 A

With threa...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACC-DSI-M8MS-6CON-M8/0,1-0,08 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.