


## INDUSTRIAL COMPONENT DATA

# SACC-E-M8FS-8CON-M10/3,0 1056232 PHOENIX CONTACT

## Flush-type connector, 8-position, Socket, straight, M8, Fro..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACC-E-M8FS-8CON-M10/3,0



|                 |                                           |
|-----------------|-------------------------------------------|
| Manufacturer    | PHOENIX CONTACT                           |
| MPN / Reference | SACC-E-M8FS-8CON-M10/3,0                  |
| Catalog number  | 1056232                                   |
| Category        | Circular connector, mounting (with cable) |
| Minimum order   | 100 Pcs                                   |
| Document ID     | EO-70085FA58D                             |
| Generated       | 2026-08-02                                |

### Product Overview

Flush-type connector, 8-position, Socket, straight, M8, Front mounting, M10, Individual wires, cable length: 3 m, 0.14 mm<sup>2</sup>, PVC litz wire

Conect. plug. to be apar. front wall, 8-pole, Connecting female, straight, M8, Front wall mounting, M10, Single stranded wires, cable length: 3 m, 0.14 mm<sup>2</sup>, PVC conductor

## STRUCTURED PRODUCT DATA

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

|              |                                                 |
|--------------|-------------------------------------------------|
| Catalog path | PHOENIX CONTACT > Field Device Connectors (FDC) |
|--------------|-------------------------------------------------|

### Additional Product Information

Key Commercial Data

Orderkey 1056232

Packing unit 1

GTIN 4055626694726

Custom tariff number 85444290

Drawings

Classifications

Environmental Product Compliance

Drawings

Dimensional drawing

Mounting panel with feed-through hole

Dimensional drawing

M8 flush-type socket

Schematic diagram

M8 plug pin assignment, 8-pos., view of pin side

[Back to top](#)Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 25;

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to top](#)Classifications

eCl@ss

eCl@ss 10.0.1 27440102

eCl@ss 8.0 27440103

eCl@ss 9.0 27440102

[Back to top](#)ETIM

ETIM 5.0 EC002061

ETIM 6.0 EC002061

[Back to top](#)

ETIM for 1056232 Connectors (EC002635)

Feature Name

Feature Value

Contact type (EF001587)

Other

Number of data contacts (EF012232)

0

Number of power contacts (EF012216)

0

Number of control contacts (EF012217)

8

Type of housing (EF006980)

Straight

Rated current I<sub>n</sub> (EF008250)

1.5 A

Ambient temperature (EF002386)

-25 °C

Rated voltage (EF000228)

30 V

Over voltage category (EF006785)

II

Pollution degree (EF006786)

3

Type of locking (EF000208)

Other

Inflammability class of insulation material according to UL94 (EF002521)

HB

With protective conductor (EF007468)

No

Degree of protection (IP), mounted (EF007466)

IP67

Screened (EF000881)

No

With status indication (EF001602)

No

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACC-E-M8FS-8CON-M10/3,0 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.