

INDUSTRIAL COMPONENT DATA

SACCBP-FS-12CON-M16/10,0-PVCSCO 1423002 PHOENIX CONTACT Flush-type connector

SACCBP-FS-12CON-M16/10,0-PVCSCO..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACCBP-FS-12CON-M16/10,0-PVCSCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACCBP-FS-12CON-M16/10,0-PVCSCO
Catalog number	1423002
Category	Circular connector, mounting (with cable)
Minimum order	50 Pcs
Document ID	EO-7F31F09D7F
Generated	2026-08-05

Product Overview

Flush-type connector - SACCBP-FS-12CON-M16/10,0-PVCSCO - 1423002

Conect. plug. to be apar. wall poster., Universal, 12-pole, PVC/PVC, black RAL 9005, shielded, Female connection, straight, M12-SPEEDCON, coding: A, at free cable end, Rear mounting, M16 x 1.5, Single stranded wires, cable length: 10 m, 0.14 mm², Black PVC, Alternative product according to RoHS II without exception 6c (Pb< 0.1%) item code: 1239400

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Field Device Connectors (FDC)

Additional Product Information

Flush-type connector, Universal, 12-position, PVC/PVC, black RAL 9005, shielded, Socket, straight, M12-SPEEDCON, on free cable end, Rear mounting, M16 x 1.5, Individual wires, cable length: 10 m

Key Commercial Data

Orderkey 1423002

Packing unit 1

GTIN 4055626323626

Custom tariff number 85444290

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss

eCl@ss 6.0 27279200

eCl@ss 7.0 27440103

eCl@ss 8.0 27440103

eCl@ss 9.0 27440102

ETIM

ETIM 5.0 EC002062

ETIM 6.0 EC002062

UNSPSC

UNSPSC 13.2 39121413

ETIM for 1423002 Connectors (EC002635)

Feature Name

Feature Value

Contact type (EF001587)

Other

Number of data contacts (EF012232)

0

Number of power contacts (EF012216)

0

Number of control contacts (EF012217)

12

Type of housing (EF006980)

Straight

Rated current In (EF008250)

1.5 A

Ambient temperature (EF002386)

-25 °C

Rated voltage (EF000228)

30 V

Over voltage category (EF006785)

II

Pollution degree (EF006786)

3

Material of contact surface (EF004020)

Gold

Housing material (EF001596)

Plastic

Material thread ring (EF012304)

Other

Type of locking (EF000208)

Other

Inflammability class of insulation material according to UL94 (EF002521)

V0

With protective conductor (EF007468)

No
Degree of protection (IP), mounted (EF007466)
IP67
Min. number of insertion cycles (EF012212)
100
Screened (EF000881)
Yes
With status ind...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACCBP-FS-12CON-M16/10,0-PVCSCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.