

**INDUSTRIAL COMPONENT DATA**

# SACCBP-FS-8CON-M16/3,0-PUR SCO 1408786 PHOENIX CONTACT Flush-type connector

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACCBP-FS-8CON-M16/3,0-PUR SCO



|                 |                                           |
|-----------------|-------------------------------------------|
| Manufacturer    | PHOENIX CONTACT                           |
| MPN / Reference | SACCBP-FS-8CON-M16/3,0-PUR SCO            |
| Catalog number  | 1408786                                   |
| Category        | Circular connector, mounting (with cable) |
| Minimum order   | 20 Pcs                                    |
| Document ID     | EO-FCA2BAA9E1                             |
| Generated       | 2026-08-05                                |

## Product Overview

Flush-type connector

Built-in mounting female, shielded, 8-pole, M12, A-coding, rear wall mounting/screwed with M16 thread, with 3 m cable, 8 x 0.25 mm<sup>2</sup>

Device connector on the back side, 8-pole, PUR, grey-black RAL 7021, female connector, straight, M12-SPEEDCONN, encoding: A, on free end, Rear panel mounting, M16 x 1.5, Individual cords, cable length: 3 m, 0.25 mm<sup>2</sup>, PUR free of black halogen, Replacement product according to RoHS II without exception 6c (Pb < 0.1%) Article no.1238792

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                 |
|--------------|-------------------------------------------------|
| Catalog path | PHOENIX CONTACT > Field Device Connectors (FDC) |
|--------------|-------------------------------------------------|

## Additional Product Information

Key Commercial Data

Orderkey 1408786

Packing unit 1 pc

Minimum order quantity 20 pc

Note Made to Order (non-returnable)

GTIN 4046356837620

Weight per Piece (excluding packing) 176.000 g

Custom tariff number 85444290

Country of origin DE (Germany)

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 4.027140815eCl@ss 4.127140815eCl@ss 5.027143423eCl@ss 5.127143423eCl@ss 6.027279200eCl@ss  
7.027279218eCl@ss 8.027279218eCl@ss 9.027440103

ETIM 3.0EC002061ETIM 4.0EC001855ETIM 5.0EC001855ETIM 6.0EC002061

UNSPSC 6.0131251501UNSPSC 7.090131251501UNSPSC 1131251501UNSPSC 12.0131251501UNSPSC  
13.239121413

ETIM for 1408786 Connectors (EC003570)

Feature Name

Feature Value

Cable length (EF000536)

3 mm

Type of plug-in contact, outer side (EF005528)

None

Mounting method (EF000003)

Back wall mounting

Housing material (EF001596)

Other

Material core insulation (EF000061)

Other

Material of contact surface (EF004020)

Other

Inflammability class of insulation material according to UL94 (EF002521)

V0

Ambient temperature (EF002386)

85 °C

Operating temperature (EF002393)

-25 °C

Rated voltage (EF000228)

30 V

With shield connection (EF002535)

Yes

Screw-in thread (EF012303)

M12

Core cross section (EF000018)

0.25 mm<sup>2</sup>

Min. number of insertion cycles (EF012212)

100

Degree of protection (IP), mounted (EF007466)

Other

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACCBP-FS-8CON-M16/3,0-PUR SCO with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.