


INDUSTRIAL COMPONENT DATA

SACCBP-FSD-4CON-M16/0,2-933SCO 1426486 PHOENIX CONTACT Female mounting built-in, apantallada, 4-pole, M12, C..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACCBP-FSD-4CON-M16/0,2-933SCO



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACCBP-FSD-4CON-M16/0,2-933SCO
Catalog number	1426486
Category	Circular connector, mounting (with cable)
Minimum order	50 Pcs
Document ID	EO-395806DE77
Generated	2026-08-05

Product Overview

Female mounting built-in, apantallada, 4-pole, M12, coded D, wall-mount, rear/screw with thread M16, with cable 0.5 m, 4 x 0.34 mm²

Conect. plug. to be apar. poster wall, 4-pole, PVC, green RAL 6018, Connection female, straight, M12-SPEEDCON, coding: D, free cable end, Rear wall mount/screw mount, M16 x 1.5, Bus line, cable length: 0.2 m, PROFINET, Alternative product according to RoHS II without exception 6c (Pb< 0.1%) item code: 1239580

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Female mounting built-in, apantallada, 4-pole, M12, coded D, wall-mount, rear/screw with thread M16, with cable 0.5 m, 4 x 0.34 mm²

Data commercial

Key order One million four hundred twenty six thousand four hundred eighty six

Packing unit 1 pcs

Key selling ABQCED -

Minimum order quantity 50 pcs

EAN Four trillion fifty five billion six hundred twenty six million four hundred sixty two thousand four hundred seventeen

Unit weight (excluding packaging) 35,000 g

Tariff number tariff Eighty five million four hundred forty four thousand two hundred ninety

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Space of time for the intended use (FEUP): 50 years

You will find information about hazardous substances in the manufacturer's declaration in the "Downloads" tab

Ratings

eCl@ss

eCl@ss 8.0 Twenty seven million four hundred forty thousand one hundred three

eCl@ss 9.0 Twenty seven million four hundred forty thousand one hundred two

ETIM

ETIM 5.0 EC002061

ETIM 6.0 EC002061

ETIM for 1426486 Connectors (EC002635)

Feature Name

Feature Value

Contact type (EF001587)

Other

Number of data contacts (EF012232)

0

Number of power contacts (EF012216)

0

Number of control contacts (EF012217)

4

Type of housing (EF006980)

Straight

Rated current In (EF008250)

4 A

Ambient temperature (EF002386)

-25 °C

Rated voltage (EF000228)

250 V

Over voltage category (EF006785)

II

Pollution degree (EF006786)

3

Material of contact surface (EF004020)

Nickel

Housing material (EF001596)

Plastic

Materi...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACCBP-FSD-4CON-M16/0,2-933SCO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.