


INDUSTRIAL COMPONENT DATA

SACCBP-M12FS-8CON-M16/0,41-94B 1409739 PHOENIX CONTACT Bus system flush-type socket, Ethernet, 8-pos., M12, ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACCBP-M12FS-8CON-M16/0,41-94B



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACCBP-M12FS-8CON-M16/0,41-94B
Catalog number	1409739
Category	Circular connector, mounting (with cable)
Minimum order	50 Pcs
Document ID	EO-37A44C0D91
Generated	2026-08-03

Product Overview

Bus system flush-type socket, Ethernet, 8-pos., M12, shielded, rear/screw mounting with M16 thread, with 1 m bus cable, 4 x 2 x 0.26 mm²

Conect. plug. to be apar. poster wall, 8-pole, PUR, water blue RAL5021, Connection female, straight, M12, coding: A, at free cable end, Rear wall mounting, M16 x 1.5 thread with flat nut, cable length: 0.41 m, 0.14 mm², Ethernet, Alternative product according to RoHS II without exception 6c (Pb< 0.1%) item code: 1238820

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1409739

Packing unit 1

GTIN 4046356880961

Custom tariff number 85444290

Drawings

Classifications

Environmental Product Compliance

Drawings

[Dimensional drawing](#)

[M12 flush-type connector](#)

[Dimensional drawing](#)

[Housing cutout for M16 fastening thread, mounting panel with feed-through hole \(alternatively with surface as protection against rotation\)](#)

[Circuit diagram](#)

[Contact assignment of the M12 plug and the M12 socket](#)

[Schematic diagram](#)

[Pin assignment M12 socket, 8-pos., A-coded, view female side](#)

[Cable cross section](#)

[Ethernet, flexible, CAT5 \[94B\]](#)

[Back to top](#)[Environmental Product Compliance](#)

[REACH SVHC Lead 7439-92-1](#)

[China RoHS Environmentally Friendly Use Period = 50](#)

[For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"](#)

[Back to top](#)[Classifications](#)

[eCl@ss](#)

[eCl@ss 10.0.1 27440102](#)

[eCl@ss 4.0 27140800](#)

[eCl@ss 4.1 27140800](#)

[eCl@ss 5.0 27143400](#)

[eCl@ss 5.1 27143400](#)

[eCl@ss 6.0 27279200](#)

[eCl@ss 7.0 27440103](#)

[eCl@ss 8.0 27440103](#)

[eCl@ss 9.0 27440102](#)

[Back to top](#)[ETIM](#)

[ETIM 4.0 EC002062](#)

[ETIM 5.0 EC002062](#)

[ETIM 6.0 EC002062](#)

[Back to top](#)[UNSPSC](#)

[UNSPSC 6.01 31251501](#)

[UNSPSC 7.0901 31251501](#)

[UNSPSC 11 31251501](#)

[UNSPSC 12.01 31251501](#)

[UNSPSC 13.2 39121413](#)

[UNSPSC 18.0 39121413](#)

[UNSPSC 19.0 39121413](#)

[UNSPSC 20.0 39121413](#)

[UNSPSC 21.0 39121413](#)

[Back to top](#)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACCBP-M12FS-8CON-M16/0,41-94B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.