


INDUSTRIAL COMPONENT DATA

SACCBP-M12FS-8CON-M16/0,41-94B 1409739 PHOENIX CONTACT Bus system flush-type socket, Ethernet, 8-pos., M12, ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACCBP-M12FS-8CON-M16/0,41-94B



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACCBP-M12FS-8CON-M16/0,41-94B
Catalog number	1409739
Category	Circular connector, mounting (with cable)
Minimum order	50 Pcs
Document ID	EO-37A44C0D91
Generated	2026-08-05

Product Overview

Bus system flush-type socket, Ethernet, 8-pos., M12, shielded, rear/screw mounting with M16 thread, with 1 m bus cable, 4 x 2 x 0.26 mm²

Conect. plug. to be apar. poster wall, 8-pole, PUR, water blue RAL5021, Connection female, straight, M12, coding: A, at free cable end, Rear wall mounting, M16 x 1.5 thread with flat nut, cable length: 0.41 m, 0.14 mm², Ethernet, Alternative product according to RoHS II without exception 6c (Pb< 0.1%) item code: 1238820

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1409739

Packing unit 1

GTIN 4046356880961

Custom tariff number 85444290

Drawings

Classifications

Environmental Product Compliance

Drawings

Dimensional drawing

M12 flush-type connector

Dimensional drawing

Housing cutout for M16 fastening thread, mounting panel with feed-through hole (alternatively with surface as protection against rotation)

Circuit diagram

Contact assignment of the M12 plug and the M12 socket

Schematic diagram

Pin assignment M12 socket, 8-pos., A-coded, view female side

Cable cross section

Ethernet, flexible, CAT5 [94B]

[Back to top](#)Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to top](#)Classifications

eCl@ss

eCl@ss 10.0.1 27440102

eCl@ss 4.0 27140800

eCl@ss 4.1 27140800

eCl@ss 5.0 27143400

eCl@ss 5.1 27143400

eCl@ss 6.0 27279200

eCl@ss 7.0 27440103

eCl@ss 8.0 27440103

eCl@ss 9.0 27440102

[Back to top](#)ETIM

ETIM 4.0 EC002062

ETIM 5.0 EC002062

ETIM 6.0 EC002062

[Back to top](#)UNSPSC

UNSPSC 6.01 31251501

UNSPSC 7.0901 31251501

UNSPSC 11 31251501

UNSPSC 12.01 31251501

UNSPSC 13.2 39121413

UNSPSC 18.0 39121413

UNSPSC 19.0 39121413

UNSPSC 20.0 39121413

UNSPSC 21.0 39121413

[Back to top](#)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACCBP-M12FS-8CON-M16/0,41-94B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.