

INDUSTRIAL COMPONENT DATA

SACCBP-M12MS-8CON-M16/0,4-94B 1422990 PHOENIX CONTACT Connector

Brand: PHOENIX CONTACT | Manufacturer Part Number: SACCBP-M12MS-8CON-M16/0,4-94B



Manufacturer	PHOENIX CONTACT
MPN / Reference	SACCBP-M12MS-8CON-M16/0,4-94B
Catalog number	1422990
Category	Circular connector, mounting (with cable)
Minimum order	50 Pcs
Document ID	EO-6A78B1B31D
Generated	2026-08-04

Product Overview

Connector

Conect. plug. to be apar. poster wall, CAT5 Ethernet (1 GBit/s), 8-pole, PUR, water blue RAL 5021, Male connector, straight, M12, coding: A, Rear wall mounting, M16 x 1.5, Single stranded wires, cable length: 0.4 m, 0.14 mm², Ethernet, Alternative product according to RoHS II without exception 6c (Pb <. 0.1%) item code: 1239398

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Field Device Connectors (FDC)

Additional Product Information

Key Commercial Data

Orderkey 1422990

Packing unit 1

GTIN 4055626323022

Custom tariff number 85444290

Environmental Product Compliance

Classifications

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Back to topClassifications

eCI@ss

eCI@ss 10.0.1 27440102

eCI@ss 8.0 27440103

eCI@ss 9.0 27440102

Back to topETIM

ETIM 5.0 EC002062

ETIM 6.0 EC002062

Back to topUNSPSC

UNSPSC 13.2 39121413

UNSPSC 18.0 39121413

UNSPSC 19.0 39121413

UNSPSC 20.0 39121413

UNSPSC 21.0 39121413

Back to top

ETIM for 1422990 Connectors (EC002635)

Feature Name

Feature Value

Contact type (EF001587)

Other

Number of data contacts (EF012232)

0

Number of power contacts (EF012216)

0

Number of control contacts (EF012217)

8

Type of housing (EF006980)

Straight

Rated current In (EF008250)

2 A

Ambient temperature (EF002386)

-25 °C

Rated voltage (EF000228)

30 V

Over voltage category (EF006785)

II

Pollution degree (EF006786)

3

Material of contact surface (EF004020)

Gold

Housing material (EF001596)

Plastic

Material thread ring (EF012304)

Other

Type of locking (EF000208)

Other

Inflammability class of insulation material according to UL94 (EF002521)

V0

With protective conductor (EF007468)

No

Degree of protection (IP), mounted (EF007466)

IP67

Min. number of insertion cycles (EF012212)

100

Screened (EF000881)

Yes

With status indication (EF001602)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SACCBP-M12MS-8CON-M16/0,4-94B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.