

INDUSTRIAL COMPONENT DATA

SF-PZ 0-60 1212562 PHOENIX CONTACT Philips screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SF-PZ 0-60



Manufacturer	PHOENIX CONTACT
MPN / Reference	SF-PZ 0-60
Catalog number	1212562
Category	Crosshead screwdriver
Minimum order	10 Pcs
Document ID	EO-EB753B527A
Generated	2026-07-28

Product Overview

Philips screwdriver

Screwdriver for cross heads PZ, size: PZ 0 x 60, two-compound handle, anti-unroll protection

Screwdriver, cross PZ, size: PZ 0 x 60, two-component handle, with roll-off protection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212562

Packing unit 10 pc

Catalog page Page 445 (C-3-2017)

GTIN 4046356589970

Weight per Piece (excluding packing) 31.990 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 161 mm

Width (a) 26 mm

Blade width 3 mm

Blade height 80 mm

Wrench size 0 mm

General

Type Phillips

straight

Material alloyed tool steel

Test standard DIN ISO 8764-1

Standards and Regulations

Test standard DIN ISO 8764-1

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040406eCl@ss 4.021040401eCl@ss 4.121040401eCl@ss 5.021040401eCl@ss 5.121040400eCl@ss 6.021040400eCl@ss 7.021040406eCl@ss 8.021040406eCl@ss 9.021040406

ETIM 4.0EC000144ETIM 5.0EC000144ETIM 6.0EC000144

UNSPSC 6.0127111701UNSPSC 7.090127111701UNSPSC 1127111701UNSPSC 12.0127111701UNSPSC 13.227111701

ETIM for 1212562 Hand tools (EC000144)

Feature Name

Feature Value

Size (EF000088)

Other

Blade length (EF001796)

80 mm

Total length (EF000369)

161 mm

Blade diameter (EF008945)

3 mm

Precision model (EF006118)

Yes

Insulated (EF000019)

No

Isolation protection 1000 V (EF001463)

No

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antimagnetic (EF001031)

No

Clamp feature (EF005937)

No

With anti-roll protection (EF014984)

Yes

Cap rotatable (EF01131...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SF-PZ 0-60 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.