


INDUSTRIAL COMPONENT DATA**SF-PZ 2-100 1212564 PHOENIX CONTACT Philips screwdriver**

Brand: PHOENIX CONTACT | Manufacturer Part Number: SF-PZ 2-100



Manufacturer	PHOENIX CONTACT
MPN / Reference	SF-PZ 2-100
Catalog number	1212564
Category	Crosshead screwdriver
Minimum order	10 Pcs
Document ID	EO-15BBC2AF17
Generated	2026-08-03

Product Overview

Philips screwdriver

Screwdriver for PZ cross heads (laser engraving), non-insulated, size: PZ 2 x 100, two-compound grip, anti-unroll protection

STRUCTURED PRODUCT DATA**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212564

Packing unit 10 pc

Catalog page Page 445 (C-3-2017)

GTIN 4046356589994

Weight per Piece (excluding packing) 94.800 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 205 mm

Width (a) 37 mm

Blade width 6 mm

Blade height 100 mm

Wrench size 0 mm

General

Type Phillips

straight

Material alloyed tool steel

Test standard DIN ISO 8764-1

Standards and Regulations

Test standard DIN ISO 8764-1

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040406eCl@ss 4.021040401eCl@ss 4.121040401eCl@ss 5.021040401eCl@ss 5.121040400eCl@ss 6.021040400eCl@ss 7.021040406eCl@ss 8.021040406eCl@ss 9.021040406

ETIM 4.0EC000144ETIM 5.0EC000144ETIM 6.0EC000144

UNSPSC 6.0127111701UNSPSC 7.090127111701UNSPSC 1127111701UNSPSC 12.0127111701UNSPSC 13.227111701

ETIM for 1212564 Hand tools (EC000144)

Feature Name

Feature Value

Size (EF000088)

Other

Blade length (EF001796)

100 mm

Total length (EF000369)

205 mm

Blade diameter (EF008945)

6 mm

Precision model (EF006118)

Yes

Insulated (EF000019)

No

Isolation protection 1000 V (EF001463)

No

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antimagnetic (EF001031)

No

Clamp feature (EF005937)

No

With anti-roll protection (EF014984)

Yes

Cap rotatable (EF011...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SF-PZ 2-100 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.