


INDUSTRIAL COMPONENT DATA

SF-PZSL 2-100 S-VDE 1212700 PHOENIX CONTACT Philips screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SF-PZSL 2-100 S-VDE



Manufacturer	PHOENIX CONTACT
MPN / Reference	SF-PZSL 2-100 S-VDE
Catalog number	1212700
Category	Crosshead screwdriver
Minimum order	1 Pcs
Document ID	EO-2442B6CDAA
Generated	2026-08-01

Product Overview

Philips screwdriver

Screwdriver, plus-minus PZ/slot, VDE insulation, size: PZ 2 x 100, two-component grip, with anti-unwind protection

Screwdriver, positive/negative PZ/bladed, VDE insulated, size: PZ 2 x 100, 2-component grip, with non-slip grip

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Technical dataNotesEnvironmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product propertiesProduct type Screwdriver tools

Type Phillips

Type straight

Connection dataOutput Pozidrive/plus/minus

DimensionsDimensional drawing

Width 37 mm

Blade width 6 mm

Blade height 100 mm

Length 205 mm

Wrench size 0 mm

Wrench size for mounting 0 mm
Material specificationsMaterial alloyed tool steel
ETIM for 1212700 Hand tools (EC000144)
Feature Name
Feature Value
Size (EF000088)
Other
Blade length (EF001796)
100 mm
Total length (EF000369)
205 mm
Blade diameter (EF008945)
6 mm
Precision model (EF006118)
Yes
Insulated (EF000019)
Yes
Isolation protection 1000 V (EF001463)
Yes
Material handle (EF006500)
Other
Grip design (EF007841)
2-components
Wrench width (hexagon drive) (EF008946)
0 mm
Low spark model (EF006299)
No
Antimagnetic (EF001031)
No
Clamp feature (EF005937)
No
With anti-roll protection (EF014984)
Yes
Cap rotatable (EF011317)
No
Blade material (EF011314)
Other
Weight (EF000167)
91.04 g
VDE tested (EFDE0001)
No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SF-PZSL 2-100 S-VDE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.