

INDUSTRIAL COMPONENT DATA

SF-PZSL 2-100 VDE 1212557 PHOENIX CONTACT

Kreuzschlitz-Schraubendreher

Brand: PHOENIX CONTACT | Manufacturer Part Number: SF-PZSL 2-100 VDE



Manufacturer	PHOENIX CONTACT
MPN / Reference	SF-PZSL 2-100 VDE
Catalog number	1212557
Category	Crosshead screwdriver
Minimum order	1 Pcs
Document ID	EO-5BF6844971
Generated	2026-08-04

Product Overview

Kreuzschlitz-Schraubendreher

Screwdriver, plus-minus PZ/slot, VDE insulation, size: PZ 2 x 100, two-component grip, with anti-unwind protection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212557

Packing unit 10 pc

Catalog page Page 445 (C-3-2017)

GTIN 4046356589925

Weight per Piece (excluding packing) 97.850 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 205 mm

Width (a) 37 mm

Blade width 6 mm

Blade height 100 mm

Wrench size 0 mm

General

Type Phillips

straight

Material alloyed tool steel

Test standard IEC 60900:2004

Standards and Regulations

Test standard IEC 60900:2004

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040406eCl@ss 4.021040401eCl@ss 4.121040401eCl@ss 5.021040401eCl@ss 5.121040400eCl@ss 6.021040400eCl@ss 7.021040406eCl@ss 8.021040406eCl@ss 9.021040406

ETIM 4.0EC000144ETIM 5.0EC000144ETIM 6.0EC000144

UNSPSC 6.0127111701UNSPSC 7.090127111701UNSPSC 1127111701UNSPSC 12.0127111701UNSPSC 13.227111701

ETIM for 1212557 Hand tools (EC000144)

Feature Name

Feature Value

Size (EF000088)

Other

Blade length (EF001796)

100 mm

Total length (EF000369)

205 mm

Blade diameter (EF008945)

6 mm

Precision model (EF006118)

Yes

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

Yes

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antimagnetic (EF001031)

No

Clamp feature (EF005937)

No

With anti-roll protection (EF014984)

Yes

Cap rotatable (EF0...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SF-PZSL 2-100 VDE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.