

INDUSTRIAL COMPONENT DATA

SF-SLIC 1,2X7,0-125 1212554 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SF-SLIC 1,2X7,0-125



Manufacturer	PHOENIX CONTACT
MPN / Reference	SF-SLIC 1,2X7,0-125
Catalog number	1212554
Category	Screwdriver for slot head screws
Minimum order	1 Pcs
Document ID	EO-9F79823300
Generated	2026-08-01

Product Overview

Screwdriver

Screwdriver for single-grooved heads, with shock cap, with auxiliary hex key for open-ended and polygonal wrench, size: 1.2 x 7.0 x 125 mm, two-component handle, with anti-unroll protection

Screwdriver, slot-headed, with impact cap, with hexagon wrench aid for open-end wrench and ring wrench, size: 1.2 x 7.0 x 125 mm, 2-component grip, with non-slip grip

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > TOOL fox

Additional Product Information

Technical dataNotesEnvironmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product propertiesProduct type Screwdriver tools

Type Bladed

Type straight

Connection dataOutput Bladed

DimensionsWidth 37 mm

Blade width 7 mm

Blade height 125 mm

Length 230 mm

Wrench size 0 mm
Wrench size for mounting 0 mm
Blade thickness 1.2 mm
Material specificationsMaterial alloyed tool steel
Standards and regulationsTests DIN 5263
ETIM for 1212554 Hand tools (EC000158)
Feature Name
Feature Value
Blade width (EF001810)
7 mm
Blade thickness (EF001811)
1.2 mm
Blade length (EF001796)
125 mm
Blade diameter (EF008945)
7 mm
Total length (EF000369)
230 mm
Precision model (EF006118)
No
Insulated (EF000019)
No
Isolation protection 1000 V (EF001463)
Yes
Material handle (EF006500)
Other
Grip design (EF007841)
2-components
Wrench width (hexagon drive) (EF008946)
0 mm
Low spark model (EF006299)
No
Antimagnetic (EF001031)
No
Clamp feature (EF005937)
No
Bulged blade (EF009755)
No
Cap rotatable (EF011317)
No
Continuous blade (EF014983)
No
Weight (EF000167)
139.45 g

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SF-SLIC 1,2X7,0-125 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.