


INDUSTRIAL COMPONENT DATA

SF-SLIC 1,6X10-175 1212555 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SF-SLIC 1,6X10-175



Manufacturer	PHOENIX CONTACT
MPN / Reference	SF-SLIC 1,6X10-175
Catalog number	1212555
Category	Screwdriver for slot head screws
Minimum order	1 Pcs
Document ID	EO-42CD57FDC8
Generated	2026-08-04

Product Overview

Screwdriver

Screwdriver for single-groove heads, with shock cap, with auxiliary hex key for open-ended and polygonal wrench, size: 1.6 x 10 x 175 mm, two-component handle

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212555

Packing unit 10 pc

Catalog page Page 443 (C-3-2017)

GTIN 4046356589901

Weight per Piece (excluding packing) 229.430 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 287 mm

Width (a) 40 mm

Blade thickness 1.6 mm

Blade width 10 mm

Blade height 175 mm

Wrench size 0 mm

General

Type Bladed

straight

Material alloyed tool steel

Test standard DIN 5263

Standards and Regulations

Test standard DIN 5263

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040407eCl@ss 4.021040401eCl@ss 4.121040401eCl@ss 5.021040401eCl@ss 5.121040400eCl@ss

6.021040400eCl@ss 7.021040407eCl@ss 8.021040407eCl@ss 9.021040407

ETIM 4.0EC000158ETIM 5.0EC000158ETIM 6.0EC000158

UNSPSC 6.0127112118UNSPSC 7.090127111518UNSPSC 1123171604UNSPSC 12.0127111518UNSPSC

13.227111701

ETIM for 1212555 Hand tools (EC000158)

Feature Name

Feature Value

Blade width (EF001810)

10 mm

Blade thickness (EF001811)

1.6 mm

Blade length (EF001796)

175 mm

Blade diameter (EF008945)

10 mm

Total length (EF000369)

287 mm

Precision model (EF006118)

No

Insulated (EF000019)

No

Isolation protection 1000 V (EF001463)

Yes

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antimagnetic (EF001031)

No

Clamp feature (EF005937)

No
Bulged b...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SF-SLIC 1,6X10-175 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.