

INDUSTRIAL COMPONENT DATA

SZG 0,6X3,5 VDE 1205121 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SZG 0,6X3,5 VDE



Manufacturer	PHOENIX CONTACT
MPN / Reference	SZG 0,6X3,5 VDE
Catalog number	1205121
Category	Screwdriver for slot head screws
Minimum order	10 Pcs
Document ID	EO-FF6999360A
Generated	2026-08-03

Product Overview

Screwdriver

Screwdriver, flat, staggered, for threaded females for test take, size: 0.6 x 3.5 x 100 mm, 2-component handle, with anti-unroll protection

Screwdriver, slot-headed, graded, for test socket screws, size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Technical dataNotesGeneral Stepped blade

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product propertiesProduct type Screwdriver tools

Type Bladed

Connection dataOutput Test socket screws

DimensionsDimensional drawing

Width 33 mm

Blade width 3.5 mm

Blade height 100 mm

Length 198 mm

Wrench size 0 mm

Wrench size for mounting 0 mm
Blade thickness 0.6 mm
Material specificationsColor silver
Material alloyed tool steel
Standards and regulationsTests IEC 60900:2004
ETIM for 1205121 Hand tools (EC000158)
Feature Name
Feature Value
Blade width (EF001810)
3.5 mm
Blade thickness (EF001811)
0.6 mm
Blade length (EF001796)
100 mm
Blade diameter (EF008945)
3.5 mm
Total length (EF000369)
198 mm
Precision model (EF006118)
No
Insulated (EF000019)
Yes
Isolation protection 1000 V (EF001463)
Yes
Material handle (EF006500)
Other
Grip design (EF007841)
2-components
Wrench width (hexagon drive) (EF008946)
0 mm
Low spark model (EF006299)
No
Antimagnetic (EF001031)
No
Clamp feature (EF005937)
No
Bulged blade (EF009755)
No
Cap rotatable (EF011317)
No
Continuous blade (EF014983)
No
Weight (EF000167)
56.75 g

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SZG 0,6X3,5 VDE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.