

INDUSTRIAL COMPONENT DATA

SZG 0,9X6,5 VDE 1205134 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SZG 0,9X6,5 VDE



Manufacturer	PHOENIX CONTACT
MPN / Reference	SZG 0,9X6,5 VDE
Catalog number	1205134
Category	Screwdriver for slot head screws
Minimum order	1 Pcs
Document ID	EO-4771784B83
Generated	2026-07-29

Product Overview

Screwdriver

Screwdriver, flat, staggered, for threaded females for test take, size: 0.9 x 6.5 x 175 mm, 2-component handle, with anti-unroll protection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1205134

Packing unit 10 pc

Catalog page Page 445 (C-3-2017)

GTIN 4017918019143

Weight per Piece (excluding packing) 147.970 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 287 mm

Width (a) 40 mm

Blade thickness 0.9 mm

Blade width 6.5 mm

Blade height 175 mm

Wrench size 0 mm

General

Note Stepped blade

Type Bladed

Material alloyed tool steel

Test standard IEC 60900:2004

Weight 85 g

Standards and Regulations

Test standard IEC 60900:2004

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040407eCl@ss 4.021040401eCl@ss 4.121040401eCl@ss 5.021040401eCl@ss 5.121040400eCl@ss 6.021040400eCl@ss 7.021040407eCl@ss 8.021040407eCl@ss 9.021040407

ETIM 2.0EC000158ETIM 3.0EC000158ETIM 4.0EC000158ETIM 5.0EC000158ETIM 6.0EC000158

UNSPSC 6.0127111701UNSPSC 7.090127111701UNSPSC 1127111701UNSPSC 12.0127111701UNSPSC 13.227111701

ETIM for 1205134 Hand tools (EC000158)

Feature Name

Feature Value

Blade width (EF001810)

6.5 mm

Blade thickness (EF001811)

0.9 mm

Blade length (EF001796)

175 mm

Blade diameter (EF008945)

6.5 mm

Total length (EF000369)

287 mm

Precision model (EF006118)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

Yes

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF0062...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SZG 0,9X6,5 VDE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.