


INDUSTRIAL COMPONENT DATA

SZK PH0 VDE 1205147 PHOENIX CONTACT Screwdriver

Brand: PHOENIX CONTACT | Manufacturer Part Number: SZK PH0 VDE



Manufacturer	PHOENIX CONTACT
MPN / Reference	SZK PH0 VDE
Catalog number	1205147
Category	Crosshead screwdriver
Minimum order	10 Pcs
Document ID	EO-8E504F9C31
Generated	2026-08-02

Product Overview

Screwdriver

Screwdriver, PH star, VDE insulation, size: PH 0 x 80 mm, 2-component grip, with anti-unroll protection

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1205147

Packing unit 10 pc

Catalog page Page 444 (C-3-2017)

GTIN 4017918019150

Weight per Piece (excluding packing) 33.510 g

Custom tariff number 82054000

Country of origin CZ (Czech Republic)

Dimensions

Length (b) 161 mm

Width (a) 26 mm

Blade width 3 mm

Blade height 80 mm

Wrench size 0 mm

General

Type Phillips

straight

Material alloyed tool steel

Test standard DIN/ISO 8764-1 PH IEC 60900:2004

Weight 30 g

Standards and Regulations

Test standard DIN/ISO 8764-1 PH IEC 60900:2004

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121040406eCl@ss 4.021040401eCl@ss 4.121040401eCl@ss 5.021040401eCl@ss 5.121040400eCl@ss

6.021040400eCl@ss 7.021040406eCl@ss 8.021040406eCl@ss 9.021040406

ETIM 2.0EC000158ETIM 3.0EC000158ETIM 4.0EC000144ETIM 5.0EC000144ETIM 6.0EC000144

UNSPSC 6.0127111701UNSPSC 7.090127111701UNSPSC 1127111701UNSPSC 12.0127111701UNSPSC

13.227111701

ETIM for 1205147 Hand tools (EC000144)

Feature Name

Feature Value

Size (EF000088)

Other

Blade length (EF001796)

80 mm

Total length (EF000369)

161 mm

Blade diameter (EF008945)

3 mm

Precision model (EF006118)

Yes

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

Yes

Material handle (EF006500)

Other

Grip design (EF007841)

2-components

Wrench width (hexagon drive) (EF008946)

0 mm

Low spark model (EF006299)

No

Antimagnetic (EF001031)

No

Clamp fea...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SZK PH0 VDE with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.