

INDUSTRIAL COMPONENT DATA

SK 20 VPE 250 1105796 PHOENIX CONTACT Shield connection clamp, for shield on busbars, contact resistance 1 m?

Brand: PHOENIX CONTACT | Manufacturer Part Number: SK 20 VPE 250



Manufacturer	PHOENIX CONTACT
MPN / Reference	SK 20 VPE 250
Catalog number	1105796
Category	Shield connection clamp
Minimum order	250 Pcs
Document ID	EO-AA5239663B
Generated	2026-08-05

Product Overview

Shield connection clamp, for shield on busbars, contact resistance < 1 m?

Terminal block for screen connection, for screen support on busbars, contact resistance < 1 m?

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > CABINET add-on

Additional Product Information

Key Commercial Data

Orderkey 1105796

Packing unit 1

GTIN 4055626989594

Custom tariff number 85369010

Drawings

Dimensions

Environmental Product Compliance

General

Connection data

Classifications

Drawings

[Diagram](#)

[Dimensional drawing](#)

[Back to top](#)[General](#)

[Number of levels](#) 1

[Number of connections](#) 1

[Cable diameter](#) 5 mm ... 20 mm

[Color](#) silver

[Open side panel](#) No

[Back to top](#)[Dimensions](#)

[Length](#) 19.5 mm

[Width](#) 24 mm

[Height](#) 75 mm

[Back to top](#)[Connection data](#)

[Connection method](#) Screw connection

[Screw thread](#) M4

[Tightening torque](#) max 0.8 Nm

[Back to top](#)[Environmental Product Compliance](#)

[China RoHS](#) Environmentally friendly use period: unlimited = EFUP-e

[No hazardous substances](#) above threshold values

[Back to top](#)[Classifications](#)

[eCl@ss](#)

[eCl@ss](#) 4.0 27141131

[eCl@ss](#) 4.1 27141131

[eCl@ss](#) 5.0 27141131

[eCl@ss](#) 5.1 27141100

[eCl@ss](#) 6.0 27141100

[eCl@ss](#) 7.0 27141150

[eCl@ss](#) 8.0 27141150

[eCl@ss](#) 9.0 27141150

[Back to top](#)[ETIM](#)

[ETIM](#) 2.0 EC000897

[ETIM](#) 3.0 EC000897

[ETIM](#) 4.0 EC002020

[ETIM](#) 5.0 EC002020

[ETIM](#) 6.0 EC002020

[ETIM](#) 7.0 EC002020

[Back to top](#)[UNSPSC](#)

[UNSPSC](#) 6.01 30211811

[UNSPSC](#) 7.0901 39121410

[UNSPSC](#) 11 39121410

[UNSPSC](#) 12.01 39121410

[UNSPSC](#) 13.2 39121432

[UNSPSC](#) 18.0 39121432

[UNSPSC](#) 19.0 39121432

[UNSPSC](#) 20.0 39121432

[UNSPSC](#) 21.0 39121432

[Back to top](#)

ETIM for 1105796 Terminal blocks (EC002020)

Feature Name

Feature Value

Permitted cable diameter (EF008217)

5 mm

Mounting method (EF000003)

Other

Type of electric connection (EF003961)

Screw connection

Width (EF000008)

24 mm

Height (EF000040)

19.5 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / SK 20 VPE 250 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.