

**INDUSTRIAL COMPONENT DATA**

# C-SCF 1/2,8X0,5 3240152 PHOENIX CONTACT Connector

Brand: PHOENIX CONTACT | Manufacturer Part Number: C-SCF 1/2,8X0,5



|                 |                                    |
|-----------------|------------------------------------|
| Manufacturer    | PHOENIX CONTACT                    |
| MPN / Reference | C-SCF 1/2,8X0,5                    |
| Catalog number  | 3240152                            |
| Category        | Crimp splices for copper conductor |
| Minimum order   | 100 Pcs                            |
| Document ID     | EO-8F7966A743                      |
| Generated       | 2026-08-01                         |

## Product Overview

Connector

Flat plug female, uninsulated, 0.5 ... 1 mm², 2.8 x 0.5

Clips, non-insulated, 0.5 ... 1 mm², 2.8 x 0.5

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                            |
|--------------|----------------------------|
| Catalog path | PHOENIX CONTACT > TOOL fox |
|--------------|----------------------------|

## Additional Product Information

Key Commercial Data

Orderkey 3240152

Packing unit 100 pc

Minimum order quantity 100 pc

Catalog page Page 498 (C-3-2017)

GTIN 4046356453691

Weight per Piece (excluding packing) 0.230 g

Custom tariff number 85369010

Country of origin BE (Belgium)

Dimensions

Length (b) 14.5 mm

Width (a) 2.8 mm

Maximum stripping length 7 mm

Material thickness (g) 0.3 mm

Ambient conditions

Ambient temperature (operation) 110 °C

General

Color silver

Stripping length 7 mm

Components halogen-free

Material Brass

Insulating material nicht zutreffend

Coating tin-plated

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027060701eCl@ss 4.127060701eCl@ss 5.027400201eCl@ss 5.127400200eCl@ss 6.027400200eCl@ss  
7.027400204eCl@ss 8.027400204eCl@ss 9.027400212

ETIM 2.0EC000005ETIM 3.0EC000005ETIM 4.0EC001052ETIM 5.0EC000516ETIM 6.0EC001059

UNSPSC 6.0130211923UNSPSC 7.090127121703UNSPSC 1127121703UNSPSC 12.0127121703UNSPSC  
13.227121707

ETIM for 3240152 Cable terminations and insulation products (EC001059)

Feature Name

Feature Value

Nominal cross section (EF005124)

0.5 mm<sup>2</sup>

Sleeve form (EF007866)

Short

Suitable for solid conductors (EF007816)

No

Suitable for stranded conductors (EF007818)

Yes

Suitable for fine strand conductors (EF007804)

Yes

Suitable for high temperatures (to 650 °C) (EF007812)

No

Suitable for insulated varnish (EF007815)

No

Suitable for round conductors (EF007820)

No

Suitable...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / C-SCF 1/2,8X0,5 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.