

INDUSTRIAL COMPONENT DATA**C-SCF 1,5/6,3X0,8 3240156 PHOENIX CONTACT Connector**

Brand: PHOENIX CONTACT | Manufacturer Part Number: C-SCF 1,5/6,3X0,8



Manufacturer	PHOENIX CONTACT
MPN / Reference	C-SCF 1,5/6,3X0,8
Catalog number	3240156
Category	Crimp splices for copper conductor
Minimum order	100 Pcs
Document ID	EO-A6C415456E
Generated	2026-08-04

Product Overview

Connector

Flat plug female, uninsulated, 0.5 ... 1.5 mm², 6.3 x 0.8Flat receptacle, uninsulated, 0.5 ... 1.5 mm², 6.3 x 0.8**STRUCTURED PRODUCT DATA****Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog PathCatalog path **PHOENIX CONTACT > TOOL fox****Additional Product Information**

Key Commercial Data

Orderkey 3240156

Packing unit 100 pc

Minimum order quantity 100 pc

Catalog page Page 498 (C-3-2017)

GTIN 4046356453738

Weight per Piece (excluding packing) 0.820 g

Custom tariff number 85369010

Country of origin DE (Germany)

Dimensions

Length (b) 19.2 mm

Width (a) 6.3 mm

Maximum stripping length 7 mm

Material thickness (g) 0.4 mm

Ambient conditions

Ambient temperature (operation) 110 °C

General

Color silver

Stripping length 7 mm

Components halogen-free

Material Brass

Insulating material nicht zutreffend

Coating tin-plated

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.027060701eCl@ss 4.127060701eCl@ss 5.027400201eCl@ss 5.127400200eCl@ss 6.027400200eCl@ss
7.027400204eCl@ss 8.027400204eCl@ss 9.027400212

ETIM 2.0EC000005ETIM 3.0EC000005ETIM 4.0EC001052ETIM 5.0EC000516ETIM 6.0EC001059

UNSPSC 6.0130211923UNSPSC 7.090127121703UNSPSC 1127121703UNSPSC 12.0127121703UNSPSC
13.227121707

ETIM for 3240156 Cable terminations and insulation products (EC001059)

Feature Name

Feature Value

Nominal cross section (EF005124)

0.5 mm²

Sleeve form (EF007866)

Short

Suitable for solid conductors (EF007816)

No

Suitable for stranded conductors (EF007818)

Yes

Suitable for fine strand conductors (EF007804)

Yes

Suitable for high temperatures (to 650 °C) (EF007812)

No

Suitable for insulated varnish (EF007815)

No

Suitable for round conductors (EF007820)

No

Suitable...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / C-SCF 1,5/6,3X0,8 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.