

**INDUSTRIAL COMPONENT DATA**

# SMARTRTU AXC SG 1110435 PHOENIX CONTACT Automation and remote control system for easy monitoring and control..

Brand: PHOENIX CONTACT | Manufacturer Part Number: SMARTRTU AXC SG



|                 |                          |
|-----------------|--------------------------|
| Manufacturer    | PHOENIX CONTACT          |
| MPN / Reference | SMARTRTU AXC SG          |
| Catalog number  | 1110435                  |
| Category        | PLC communication module |
| Minimum order   | 1 Pcs                    |
| Document ID     | EO-C1596028E5            |
| Generated       | 2026-08-05               |

## Product Overview

Automation and remote control system for easy monitoring and control of installations in energy networks

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Control Systems (CST)

## Additional Product Information

ETIM for 1110435 PLC's (EC000236)

Feature Name

Feature Value

Supply voltage DC (EF007534)

19.2 V

Voltage type (supply voltage) (EF002991)

DC

Number of HW-interfaces industrial Ethernet (EF003020)

2

Number of interfaces PROFINET (EF006932)

0

Number of HW-interfaces RS-232 (EF003021)

0

Number of HW-interfaces RS-422 (EF003022)

0

Number of HW-interfaces RS-485 (EF003023)  
0

Number of HW-interfaces USB (EF003025)  
0

Number of HW-interfaces parallel (EF003026)  
0

Number of HW-interfaces wireless (EF006933)  
0

Number of HW-interfaces other (EF003027)  
1

Number of analogue outputs (EF001995)  
0

Number of analogue inputs (EF001994)  
0

Number of digital inputs (EF001992)  
0

Number of digital outputs (EF001993)  
0

IO link master (EF007298)  
No

System accessory (EF004118)  
Yes

Additional program memory possible (EF003029)  
Yes

Suitable for rail mounting (EF003972)  
No

Wall mounting/direct mounting (EF007020)  
No

Front built-in possible (EF007016)  
No

Rack-assembly possible (EF007018)  
No

SIL according to IEC 61508 (EF009889)  
None

Performance level according to EN ISO 13849-1 (EF007399)  
None

Appendant operation agent (Ex ia) (EF004141)  
No

Appendant operation agent (Ex ib) (EF004142)  
No

Explosion safety category for gas (EF003997)  
None

Explosion safety category for dust (EF003998)  
None

Width (EF000008)  
45 mm

Height (EF000040)

125.893514 mm

Depth (EF000049)

74.25 mm

**REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW**

Send PHOENIX CONTACT / SMARTRTU AXC SG with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

**GLOBAL OFFICES**

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.