

INDUSTRIAL COMPONENT DATA

ECS-P-122X169-L-UV1-B 2230004 PHOENIX CONTACT Front plate

Brand: PHOENIX CONTACT | Manufacturer Part Number: ECS-P-122X169-L-UV1-B



Manufacturer	PHOENIX CONTACT
MPN / Reference	ECS-P-122X169-L-UV1-B
Catalog number	2230004
Category	Extruded profile modular housing
Minimum order	5 Pcs
Document ID	EO-48EBF74052
Generated	2026-08-06

Product Overview

Front plate

ECS family faceplate, empty, socket lock. IP66/67/69 protection rating in case of combination with the corresponding housing. Colour: black (9005), width: 196 mm, height: 34 mm, depth: 62 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2230004

Packing unit 5 pc

Minimum order quantity 5 pc

GTIN 4055626381398

Weight per Piece (excluding packing) 121.340 g

Custom tariff number 85389099

Country of origin US (United States)

Item properties

Type ECS-P-122X169-L-UV1-B

Order No. 2230004

Type Snap-in locking

Mounting type Mechanical latch to base

Measurements**Dimensional drawing**

Width [w] 196 mm

Height [h] 34 mm

Depth [d] 62 mm

Material specifications

Color (RAL) black (9005)

Flammability rating according to UL 94 V0

Housing material PC (polycarbonate)

Ambient conditions

Ambient temperature (operation) -40 °C ... 100 °C

PCB data

Number of PCB holders 1

Packaging information

Pieces per package 5

Denomination packing units Pcs.

Standards and regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

ClassificationseCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180505eCl@ss 5.127180505eCl@ss 6.027180800eCl@ss
7.027182702eCl@ss 8.027182702eCl@ss 9.027182702

ETIM 3.0EC001031ETIM 4.0EC001031ETIM 5.0EC000058ETIM 6.0EC001031

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC
13.231261501

ETIM for 2230004 Low-voltage industrial controls and switchgear (EC002779)

Feature Name**Feature Value**

Type of enclosure (EF003086)

Closed

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting poss...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ECS-P-122X169-L-UV1-B with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.