

INDUSTRIAL COMPONENT DATA

ST-REL4-KG230/21-21/SO46 2826871 PHOENIX CONTACT

Relay connectors

Brand: PHOENIX CONTACT | Manufacturer Part Number: ST-REL4-KG230/21-21/SO46



Manufacturer	PHOENIX CONTACT
MPN / Reference	ST-REL4-KG230/21-21/SO46
Catalog number	2826871
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-872A291152
Generated	2026-08-03

Product Overview

Relay connectors

Plug-in relay interface against stray interference on the control side, with soldered mini-switching relays, contacts (Au):
Medium to large powers, 2 switched contacts, input voltage 230 V AC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Industrial Relays**

Additional Product Information

Key Commercial Data

Orderkey 2826871

Packing unit 10 pc

Note Made to Order (non-returnable)

GTIN 4017918078027

Weight per Piece (excluding packing) 51.000 g

Custom tariff number 85364900

Country of origin DE (Germany)

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 5.027371601eCl@ss 5.127371600eCl@ss 6.027371600eCl@ss 7.027371601eCl@ss 8.027371601eCl@ss
9.027371601

ETIM 2.0EC001437ETIM 3.0EC001437ETIM 4.0EC001437ETIM 5.0EC001437ETIM 6.0EC001437

UNSPSC 6.0130211916UNSPSC 7.090139121515UNSPSC 1139121515UNSPSC 12.0139121515UNSPSC
13.239122334

ETIM for 2826871 Relays (EC001437)

Feature Name

Feature Value

Complete with socket (EF003359)

No

With detachable clamps (EF003340)

Yes

With LED indication (EF005950)

Yes

Rated control supply voltage AC 50 Hz (EF003978)

207 V

Rated control supply voltage AC 60 Hz (EF003979)

207 V

Voltage type for actuating (EF008242)

AC

Drive, polarization (EF003355)

Polarized

Drive, switching attitude (EF003356)

Mono stable

Number of contacts as normally closed contact (EF008255)

0

Number of contacts as normally open contact (EF008256)

0

Number of contacts as change-over contact (EF008257)

2

Type of switch contact (EF003358)

Single contact

With forced-guided contacts (EF003357)

No

Material of contact insert (EF008521)

Other

Material of contact surface (EF004020)

Untreated

N...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / ST-REL4-KG230/21-21/SO46 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.