

INDUSTRIAL COMPONENT DATA

WIREFOX SAC-1 1212757 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX SAC-1



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX SAC-1
Catalog number	1212757
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-B5F1BE14A6
Generated	2026-08-02

Product Overview

Stripping tool

Cable strippers for halogen-free sensor/actuator cables (SAC cables), with PUR and PVC insulation, Ø from 3.2 mm to 4.4 mm, any stripping length

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > TOOL fox

Additional Product Information

Key Commercial Data

Orderkey 1212757

Packing unit 1 pc

Catalog page Page 410 (C-3-2017)

GTIN 4046356948487

Weight per Piece (excluding packing) 99.990 g

Custom tariff number 82032000

Country of origin DE (Germany)

Dimensions

Length (b) 165 mm

Cable diameter 3.2 mm ... 4.4 mm

Stripping length 100 mm

General

Color black

Weight 126 g

Min. cross section 2.5 mm²

Max. cross section 4 mm²

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 5.127379100eCl@ss 6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 4.0EC002498ETIM 5.0EC002498ETIM 6.0EC002109

UNSPSC 13.239121421

ETIM for 1212757 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

165 mm

Strip range cross-section (EF007568)

2.5 mm²

Strip range diameter (EF007567)

3 mm

Strip length adjustable (EF006222)

No

Depth of notch adjustable (EF005931)

No

Self-adjusting (EF022889)

Yes

Jaw length (EF005953)

15.5 mm

Head width (EF006645)

14 mm

Head height (EF025409)

68 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

No

Spiral cut (EF005299)

No

With wire cutter (EF000163)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No

Handle cover (EF013792)

Plastic grips

Grip design (EF007841)

1-component
Surface protection (EF000139)
Untreated
Surface treatment (EF025109)
Untreated
ESD tested (EF009014)
No
With impact protecti...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX SAC-1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.